

### LOCAL APPLETS:

A local applet is that which is stored on a local system. We can create our own applet by own design and embed them into web pages. When local applet embedded in the web page, web page will search the local system directories, find the local applet and execute it. Local applets doesn't required any internet connection for execution.

SYNTAX FOR A LOCAL APPLET:

```
<applet codebase="path"  
code="AppletName.class"  
width=200  
height=20 >  
</applet>
```

In the above syntax,

The codebase attribute specifies a path name on system for local applet.

The path used in codebase attribute specifies replaces by folder containing HTML document references to the applet.

The code attribute specifies the name of the class used in applet.

### REMOTE APPLET:

An remote applet is that which is stored on a remote computer connected to the internet.

SYNTAX FOR REMOTE APPLET:

```
<applet codebase="http://www.profjayesh.com/applets/"  
code="AppletName.class"  
width=200  
height=20 >  
</applet>
```

### DIFFERENCE BETWEEN LOCAL APPLET AND REMOTE APPLET:

In local applet codebase specifies a local folder, while in the remote applet, it specifies the URL at which the applet is located.

## Related Posts:

1. Can Java have same name variable
2. Types of variables in Java programming
3. JAVA and its Support Systems
4. JAVA environment
5. JAVA program structure
6. Tokens
7. Java statements
8. Java virtual machine
9. C++ Versus JAVA
10. Constants and Variables in Java
11. Data types JAVA
12. Defining a class
13. Constructor in JAVA
14. Array in Java
15. Applets Vs Applications
16. Writing applets
17. Applets life cycle
18. Creating an Executable Applet
19. Graphics in Applet
20. Applet image display
21. Applet digital clock
22. Applet mouse event handling
23. JDBC
24. Execute an SQL Statement
25. Process the result
26. CLOSE THE DATABASE CONNECTION

27. File handling
28. Define a class to declare an integer array of size n and accept the elements into the array.
29. Define a class to declare an array of size 20 of the double datatype, accept the elements into the array and perform the following: Calculate and print the sum of all the elements.
30. Java program for String, to uppercase, to equal, length of string
31. Write a Java program for Bubble sort.
32. Write a Java program String to uppercase and count words starting with 'A'
33. How to set path in Java
34. Understanding public static void main (String args[] ){ } in Java
35. Difference between static and non static methods in Java