A Mealy machine is a type of finite state automaton (FSA) that produces output on transitions between states.

Unlike a Moore machine, which produces output for each state-input symbol pair, a Mealy machine only produces output when it changes states.

This means that Mealy machines are more efficient than Moore machines in terms of output generation, as they do not produce unnecessary output for states that do not change.

In the Mealy machine, the output symbol at a given time is a function of the present input as well as the present state of the machine.

Therefore the transition graph of the Mealy machine cannot be further simplified.

Mealy machine is defined as a 6 tuple (Q, Σ , Δ , δ , λ , q0)

where,

- Q: A finite set of states.
- Σ : A finite set of input symbols.
- δ : A transition function: δ : $Q \times \Sigma \to Q$.
- λ : An output function: λ : $\delta(Q \times \Sigma) \rightarrow O$.
- qo: The start state.
- F: A set of accepting states.


Reference: Introduction to the Theory of Computation" by Michael

Sipser.

For example,

Mealy machine Transition table

	Next State			
Present State	a = 0		a = 1	
	Next State	Output	Next State	Output
qo	q1	0	q2	1
q1	q 3	1	q2	1
q2	q2	1	q1	0
q 3	qo	1	93	1



Mealy machine

Transition Diagram

Related Posts:

- 1. Definition of Deterministic Finite Automata
- 2. Notations for DFA
- 3. How do a DFA Process Strings?
- 4. DFA solved examples
- 5. Definition Non Deterministic Finite Automata
- 6. Moore machine
- 7. Regular Expression Examples
- 8. Regular expression
- 9. Arden's Law
- 10. NFA with ∈-Moves
- 11. NFA with ∈ to DFA Indirect Method
- 12. Define Mealy and Moore Machine
- 13. What is Trap state?
- 14. Equivalent of DFA and NFA
- 15. Properties of transition functions
- 16. Mealy to Moore Machine
- 17. Moore to Mealy machine
- 18. Diiference between Mealy and Moore machine
- 19. Pushdown Automata
- 20. Remove ∈ transitions from NFA
- 21. TOC 1
- 22. Diiference between Mealy and Moore machine
- 23. RGPV TOC What do you understand by DFA how to represent it

- 24. What is Regular Expression
- 25. What is Regular Set in TOC
- 26. RGPV short note on automata
- 27. RGPV TOC properties of transition functions
- 28. RGPV TOC What is Trap state
- 29. DFA which accept 00 and 11 at the end of a string
- 30. CFL are not closed under intersection
- 31. NFA to DFA | RGPV TOC
- 32. Moore to Mealy | RGPV TOC PYQ
- 33. DFA accept even 0 and even 1 |RGPV TOC PYQ
- 34. Short note on automata | RGPV TOC PYQ
- 35. DFA ending with 00 start with 0 no epsilon | RGPV TOC PYQ
- 36. DFA ending with 101 | RGPV TOC PYQ
- 37. Construct DFA for a power n, $n \ge 0$ || RGPV TOC
- 38. Construct FA divisible by 3 | RGPV TOC PYQ
- 39. Construct DFA equivalent to NFA | RGPV TOC PYQ
- 40. RGPV Define Mealy and Moore Machine
- 41. RGPV TOC Short note on equivalent of DFA and NFA
- 42. RGPV notes Write short note on NDFA
- 43. Minimization of DFA
- 44. Construct NFA without ∈
- 45. CNF from S->aAD;A->aB/bAB;B->b,D->d.
- 46. NDFA accepting two consecutive a's or two consecutive b's.
- 47. Regular expresion to CFG
- 48. Regular expression to Regular grammar
- 49. Grammar is ambiguous. S → aSbS|bSaS|€
- 50. leftmost and rightmost derivations

- 51. Construct Moore machine for Mealy machine
- 52. RGPV TOC PYQs
- 53. Introduction to Automata Theory