A Moore machine is a type of finite state automaton (FSA) that is characterized by its output function. Unlike a Mealy machine, which produces output only when transitioning between states, a Moore machine produces output for each state and input symbol combination.

This means that a Moore machine can be used to generate output strings as well as recognize input strings.

In this type of machine, the future state of the machine is decided by the current state and current input symbol of the machine.

The output symbol at a given time depends only on the present state of the machine.

Moore machine is defined as a 6 tuple (Q, Σ, Δ, δ, λ, q0).

where,

- *Q: A finite set of states.*
- *Σ: A finite set of input symbols.*
- *δ: A transition function: δ: Q x Σ → Q.*
- *λ: An output function: λ: Q x Σ → O.*
- *q_0: The start state.*
- *F: A set of accepting states.*

Example Moore machine:

Present state	Next state		Output
	a = 0	a = 1	
->q0	q0	q1	0
q1	q0	q2	0
q2	q0	q2	1

Moore Machine

Transition Diagram

In Moore machine, each state has a fixed output, i.e. in above diagram,

- When machine is in state q1, the output is 0.
- When machine is in state q2, the output is 0.
- When machine is in state q3, the output is 1.

Referencees:

- Introduction to the Theory of Computation" by Michael Sipser.

Related Posts:

23. RGPV TOC What do you understand by DFA how to represent it

24. What is Regular Expression

25. What is Regular Set in TOC

26. RGPV short note on automata

27. RGPV TOC properties of transition functions

28. RGPV TOC What is Trap state

29. DFA which accept 00 and 11 at the end of a string

30. CFL are not closed under intersection

31. NFA to DFA | RGPV TOC

32. Moore to Mealy | RGPV TOC PYQ

33. DFA accept even 0 and even 1 |RGPV TOC PYQ

34. Short note on automata | RGPV TOC PYQ

35. DFA ending with 00 start with 0 no epsilon | RGPV TOC PYQ

36. DFA ending with 101 | RGPV TOC PYQ

37. Construct DFA for a power n, n>=0 || RGPV TOC

38. Construct FA divisible by 3 | RGPV TOC PYQ

39. Construct DFA equivalent to NFA | RGPV TOC PYQ

40. RGPV Define Mealy and Moore Machine

41. RGPV TOC Short note on equivalent of DFA and NFA

42. RGPV notes Write short note on NDFA

43. Minimization of DFA

44. Construct NFA without $\in$

45. CNF from S–>aAD;A->aB/bAB;B->b,D->d.

46. NDFA accepting two consecutive a's or two consecutive b's.

47. Regular expresion to CFG

48. Regular expression to Regular grammar

49. Grammar is ambiguous. S → aSbS|bSaS|$\in$

50. leftmost and rightmost derivations
51. Construct Moore machine for Mealy machine
52. RGPV TOC PYQs
53. Introduction to Automata Theory