Overloaded sub-programs, also known as function overloading, is a feature in many programming languages that allows multiple functions or subprograms to have the same name but different parameter lists.

This means that you can define multiple subprograms with the same name but with different input parameters or return types.

When a program calls an overloaded subprogram, the compiler or interpreter determines the appropriate subprogram to invoke based on the arguments provided.

Here are some key points regarding overloaded sub-programs:

1. Function Name Reuse:

Overloaded subprograms enable you to reuse the same function name for different operations or variations of a task. This can lead to cleaner and more expressive code by using the same name for related functionalities.

2. Different Parameter Lists:

Overloaded subprograms must have different parameter lists to distinguish them. This can include differences in the number of parameters, the types of parameters, or both.

3. Compile-Time Resolution:

The resolution of which overloaded subprogram to invoke is typically determined at compile time based on the arguments passed in the function call. The compiler matches the arguments with the available overloaded versions and selects the most appropriate one.

4. Return Type Overloading:

In some programming languages, such as C++, the return type of a function can also be part of the overloading criteria. This means that you can have two functions with the same name and parameter list but different return types.

5. Polymorphism:

Overloaded subprograms contribute to polymorphism, a concept in object-oriented programming that allows objects of different types to be treated uniformly. Polymorphism allows you to write code that can handle different types of inputs using the same function name, improving code reusability and flexibility.

6. Code Readability:

Overloaded subprograms can enhance code readability by providing intuitive function names that reflect their purpose or behavior. For example, you can have multiple "calculate" functions with different parameter lists, such as "calculate(int x)" and "calculate(int x, int y)".

Related Posts:

- 1. Relationship among entities
- 2. Introduction of IOT
- 3. Marketing Managment RGPV Diploma Paper Solved
- 4. Value of function in programming
- 5. Hardware components and device solved paper RGPV Diploma
- 6. USE CASE for MCQ application
- 7. OS Interview Q & A | Part 01 | Prof. Jayesh Umre
- 8. Compilation

- 9. OOPs in C# | PPL | Prof. Jayesh Umre
- 10. Static and Dynamic scope
- 11. Type Checking
- 12. Testing Levels | Software engineering | SEPM | Prof. Jayesh Umre
- 13. Static and Dynamic Analysis | Software Engineering| SEPM| Prof. Jayesh Umre
- 14. Code Inspection | Software engineering | SEPM | Prof. Jayesh Umre
- 15. Code Inspection
- 16. Characterstics of IOT
- 17. IOT Internet of Things
- 18. Monitors
- 19. Static and Stack-Based Storage management
- 20. Message passing
- 21. Exception handler in Java
- 22. Exception Propagation
- 23. Concept of Binding
- 24. Data mining and Data Warehousing
- 25. Introduction to Concurrency Control
- 26. Introduction to Transaction
- 27. Introduction to Data Models
- 28. Coaxial Cable
- 29. DHCP
- 30. DNS
- 31. Introduction to SNMP
- 32. Introduciton to SMTP
- 33. Introduction to NFS
- 34. Introduction to Telnet
- 35. Introduction to FTP

- 36. Internet Intranet Extranet
- 37. UGC NET Notes
- 38. Computer Terminologies
- 39. UGC NET Paper 1 December 2012
- 40. UGC Net paper 1 June 2011
- 41. closure properties of regular languages
- 42. Functional programming languages
- 43. Virtualization fundamental concept of compute
- 44. Dia software for UML, ER, Flow Chart etc
- 45. DAVV MBA: Business Communication
- 46. Mirroring and Striping
- 47. RGPV Solved Papers
- 48. CD#08 | Semantic analysis phase of compiler in Hindi video | Semantic tree | Symbol table | int to real
- 49. COA#27 | Explain the Memory Hierarchy in short. | COA previoys years in Hindi video
- 50. Infix to Postfix expression
- 51. Array implementation of Stack
- 52. Stack Data Structure
- 53. DBMS#03 | DBMS System Architecture in Hindi video
- 54. Java program method overloaing
- 55. Java program use of String
- 56. DS#33 | 2 Dimensional Array | Data Structure in Hindi video
- 57. SE#10 | Function point (FP) project size estimation metric in Hindi video
- 58. ADA#02 | Define Algorithm. Discuss how to analyse Algorithm | ADA previous years in Hindi video
- 59. Principles of Programming Languages
- 60. Discrete Structures

- 61. Machine Learning
- 62. R Programming Video Lectures
- 63. Internet of Things (IOT)
- 64. Digital Circuits
- 65. Number Systems
- 66. Computer Organization and Architecture Video Lectures
- 67. UGC NET
- 68. There are five bags each containing identical sets of ten distinct chocolates. One chocolate is picked from each bag. The probability that at least two chocolates are identical is _____
- 69. C Programming Questions
- 70. What is Software ? What is the difference between a software process and a software product ?
- 71. Difference between scopus and sci/scie journal
- 72. Human Process Interventions: Individual and Group Level & Organization Level Topics Covered: Coaching, training and development, conflict resolution process process consultation, third-party interventions, and team building.
- 73. Leading and Managing Change & Emerging Trends in OD
- 74. Designing and Evaluating Organization Development Interventions
- 75. Tutorial
- 76. Data Dictionary and Dynamic Performance Views
- 77. Anna University Notes | Big Data Analytics
- 78. What is Map Reduce programming model? Explain.
- 79. Features of Web 2.0
- 80. Describe in brief the different sources of water.
- 81. RGPV BEEE
- 82. Define data structure. Describe about its need and types. Why do we need a data type

?

- 83. Interview Tips
- 84. Find output of C programs Questions with Answers Set 01