

1. Which of the following is NOT a measure of central tendency?

- a) Mean
- b) Median
- c) Mode
- d) Range

Answer: d) Range

Explanation: The range is a measure of variability, not central tendency. It represents the difference between the maximum and minimum values in a dataset.

2. Which distribution is commonly used to model continuous data in statistical quality control?

- a) Binomial distribution
- b) Poisson distribution
- c) Normal distribution
- d) Exponential distribution

Answer: c) Normal distribution

Explanation: The normal distribution is widely used in statistical quality control to represent continuous data due to its symmetrical bell-shaped curve.

3. What does the Central Limit Theorem state?

- a) The mean of a sample approaches the population mean as the sample size increases.
- b) The variability of a sample decreases as the sample size increases.
- c) The distribution of sample means approximates a normal distribution regardless of the population distribution, given a large sample size.
- d) The median of a sample is equal to the population median.

Answer: c) The distribution of sample means approximates a normal distribution regardless of the population distribution, given a large sample size.

Explanation: The Central Limit Theorem states that as the sample size increases, the distribution of sample means will approach a normal distribution, regardless of the population distribution.

4. Which chart is commonly used for monitoring the number of defects per unit in a process?

- a) p-chart
- b) np-chart
- c) c-chart
- d) u-chart

Answer: c) c-chart

Explanation: The c-chart, or count chart, is used for monitoring the number of defects per unit in a process. It is appropriate when the number of defects can vary from unit to unit.

5. What does the "P" in the PDSA cycle stand for?

- a) Proceed
- b) Plan
- c) Process
- d) Probabilistic

Answer: b) Plan

Explanation: The PDSA cycle stands for Plan, Do, Study, Act. It is a systematic framework for continuous improvement in quality management.

6. Which control chart is used for monitoring the proportion of nonconforming items in a

sample?

- a) p-chart
- b) np-chart
- c) c-chart
- d) u-chart

Answer: a) p-chart

Explanation: The p-chart, or proportion chart, is used for monitoring the proportion of nonconforming items in a sample.

7. In statistical quality control, what does “u” stand for in the u-chart?

- a) Upper control limit
- b) Unit deviation
- c) Unit standard deviation
- d) Nonconformities per unit

Answer: d) Nonconformities per unit

Explanation: The u-chart is used for monitoring the number of nonconformities per unit in a process.

8. Which type of control chart is suitable for monitoring individual data points over time?

- a) p-chart
- b) R-chart
- c) np-chart
- d) c-chart

Answer: b) R-chart

Explanation: The R-chart, or range chart, is used for monitoring the variability of individual data points over time.

9. Which statistical quality control chart is used for monitoring the number of nonconformities in a sample of constant size?

- a) p-chart
- b) np-chart
- c) c-chart
- d) u-chart

Answer: b) np-chart

Explanation: The np-chart is used for monitoring the number of nonconformities in a sample of constant size.

10. What is the primary purpose of trial control limits in control charting?

- a) To establish the normal variation of a process.
- b) To identify points that may indicate a process shift or instability.
- c) To set the upper and lower specification limits.
- d) To determine the process capability index.

Answer: a) To establish the normal variation of a process.

Explanation: Trial control limits are initially set to help establish the normal variation of a process before stable control limits are determined.

11. Which type of control chart is used when the data can be categorized into discrete categories?

- a) R-chart

- b) s-chart
- c) Attribute control chart
- d) Variable control chart

Answer: c) Attribute control chart

Explanation: Attribute control charts are used when data can be categorized into discrete categories, such as pass/fail or conforming/nonconforming.

12. What is the purpose of the “Act” phase in the PDSA cycle?

- a) To analyze the results of the study phase.
- b) To make necessary changes based on the study phase findings.
- c) To implement the planned changes.
- d) To document the improvement process.

Answer: b) To make necessary changes based on the study phase findings.

Explanation: The Act phase in the PDSA cycle involves implementing changes based on the findings and results obtained during the study phase.

13. Which chart is used to monitor the variability of individual measurements within a sample?

- a) p-chart
- b) np-chart
- c) R-chart
- d) c-chart

Answer: c) R-chart

Explanation: The R-chart, or range chart, is used to monitor the variability of individual

measurements within a sample.

14. Which type of control chart is suitable for monitoring continuous data over time?

- a) p-chart
- b) c-chart
- c) Variable control chart
- d) Attribute control chart

Answer: c) Variable control chart

Explanation: Variable control charts are suitable for monitoring continuous data over time, such as measurements of length, weight, or time.

15. In statistical quality control, what does the "R" stand for in the R-chart?

- a) Range
- b) Rate
- c) Run
- d) Resistance

Answer: a) Range

Explanation: The R-chart is used to monitor the range, which represents the variability of individual measurements within a sample.

16. Which control chart is used for monitoring the number of nonconformities per unit in a process that can produce varying numbers of units?

- a) p-chart
- b) np-chart
- c) c-chart

d) u-chart

Answer: d) u-chart

Explanation: The u-chart is used for monitoring the number of nonconformities per unit in a process that can produce varying numbers of units.

17. What does the "Study" phase in the PDSA cycle involve?

- a) Implementing planned changes
- b) Analyzing the results of the study
- c) Documenting the improvement process
- d) Testing and observing the effects of planned changes

Answer: d) Testing and observing the effects of planned changes

Explanation: The Study phase in the PDSA cycle involves testing and observing the effects of planned changes to assess their effectiveness.

18. Which control chart is used for monitoring the number of nonconformities in a sample of constant size?

- a) p-chart
- b) np-chart
- c) c-chart
- d) u-chart

Answer: b) np-chart

Explanation: The np-chart is used for monitoring the number of nonconformities in a sample of constant size.

19. What does the "Do" phase in the PDSA cycle involve?

- a) Analyzing the results of the study phase
- b) Documenting the improvement process
- c) Implementing planned changes
- d) Testing and observing the effects of planned changes

Answer: c) Implementing planned changes

Explanation: The Do phase in the PDSA cycle involves implementing planned changes in the process or system.

20. Which control chart is used for monitoring the proportion of nonconforming items in a sample?

- a) p-chart
- b) np-chart
- c) c-chart
- d) u-chart

Answer: a) p-chart

Explanation: The p-chart is used for monitoring the proportion of nonconforming items in a sample.

Related posts:

1. Steam generators and boilers MCQs
2. Vapour Cycles MCQs
3. Gas Dynamics MCQs

4. Air Compressors MCQs
5. Nozzles and Condensers MCQs
6. Introduction to stress in machine component MCQs
7. Shafts MCQs
8. Springs MCQs
9. Brakes & Clutches MCQs
10. Journal Bearing MCQs
11. Energy transfer in turbo machines MCQs
12. Steam turbines MCQs
13. Water turbines MCQs
14. Rotary Fans, Blowers and Compressors MCQs
15. Power transmitting turbo machines MCQs
16. Energy transfer in turbo machines MCQs
17. Steam turbines MCQs
18. Water turbines MCQs
19. Rotary Fans, Blowers and Compressors MCQs
20. Power transmitting turbo machines MCQs
21. Introduction to Computer Engineering MCQs
22. Types of Analysis MCQs
23. Heat Transfer and Conduction MCQs
24. Extended Surfaces (fins) MCQs
25. Convection MCQs
26. Thermal and Mass Transfer MCQs
27. Thermal Radiation & Boiling/Condensation MCQs
28. Mechanical processes MCQs
29. Electrochemical and chemical metal removal processes MCQs
30. Thermal metal removal processes MCQs

31. Rapid prototyping fabrication methods MCQs
32. Technologies of micro fabrication MCQs
33. Power Plant Engineering MCQs
34. Fossil fuel steam stations MCQs
35. Nuclear Power Station MCQs
36. Hydro-Power Station MCQs
37. Power Station Economics MCQs
38. Design of Belt, Rope and Chain Drives MCQs
39. Spur and Helical Gears MCQs
40. Bevel Gears MCQs
41. Design of I.C. Engine Components MCQs
42. Linear system and distribution models MCQs
43. Supply chain (SCM) MCQs
44. Inventory models MCQs
45. Queueing Theory & Game Theory MCQs
46. Project Management & Meta-heuristics MCQs
47. Overview of Systems Engineering MCQs
48. Structure of Complex Systems MCQs
49. Concept Development and Exploration MCQs
50. Engineering Development MCQs
51. Basic Concepts & Laws of Thermodynamics MCQs
52. Properties of Steam MCQs
53. Air standard cycles MCQs
54. Fuels & combustion MCQs
55. Materials Science MCQs
56. Alloys and Materials MCQs
57. Metal Heat Treatment MCQs

- 58. Material Testing and Properties MCQs
- 59. Chemical Analysis of Metal Alloys MCQs
- 60. Stress and strain MCQs
- 61. Bending MCQs
- 62. Torsion in shafts MCQs
- 63. Theories of failures MCQs
- 64. Columns & struts MCQs
- 65. Manufacturing Process MCQs