LOCAL APPLETS:

A local applet is that which is stored on a local system. We can create our own applet by own design and embed them into web pages. When local applet embedded in the web page, web page will search the local system directories, find the local applet and execute it. Local applets doesn't required any internet connection for execution.

SYNTAX FOR A LOCAL APPLET:



In the above syntax,

The codebase attribute specifies a path name on system for local applet.

The path used in codebase attribute specifies replaces by folder containing HTML document references to the applet.

The code attribute specifies the name of the class used in applet.

REMOTE APPLET:

An remote applet is that which is stored on a remote computer connected to the internet.

SYNTAX FOR REMOTE APPLET:



DIFFERENCE BETWEEN LOCAL APPLET AND REMOTE APPLET:

In local applet codebase specifies a local folder, while in the remote applet, it specifies the URL at which the applet is located.

Related posts:

- 1. Can Java have same name variable
- 2. Types of variables in Java programming
- 3. JAVA and its Support Systems
- 4. JAVA environment
- 5. JAVA program structure

- 6. Tokens
- 7. Java statements
- 8. Java virtual machine
- 9. C++ Versus JAVA
- 10. Constants and Variables in Java
- 11. Data types JAVA
- 12. Defining a class
- 13. Constructor in JAVA
- 14. Array in Java
- 15. Applets Vs Applications
- 16. Writing applets
- 17. Applets life cycle
- 18. Creating an Executable Applet
- 19. Graphics in Applet
- 20. Applet image display
- 21. Applet digital clock
- 22. Applet mouse event handling
- 23. JDBC
- 24. Execute an SQL Statement
- 25. Process the result
- 26. CLOSE THE DATABASE CONNECTION
- 27. File handling
- 28. Define a class to declare an integer array of size n and accept the elements into the array.
- 29. Define a class to declare an array of size 20 of the double datatype, accept the elements into the array and perform the following: Calculate and print the sum of all the elements.

- 30. Java program for String, to uppercase, to equal, length of string
- 31. Write a Java program for Buble sort.
- 32. Write a Java program String to uppercase and count words startig with 'A'
- 33. How to set path in Java
- 34. Understanding public static void main (String args[]){} in Java
- 35. Difference between static and non static methods in Java