- 1. Which technique shares similarities with autoencoders in terms of dimensionality reduction?
- a) Dropout
- b) Batch Normalization
- c) PCA
- d) Ensemble methods

Answer: c) PCA

Explanation: Principal Component Analysis (PCA) is a classical technique for dimensionality reduction, similar to how autoencoders compress data into a lower-dimensional representation.

- 2. Which regularization technique is commonly used to prevent overfitting in autoencoders by penalizing large weights?
- a) Early stopping
- b) Dataset augmentation
- c) L2 regularization
- d) Instance Normalization

Answer: c) L2 regularization

Explanation: L2 regularization adds a penalty term to the loss function based on the square of the weights, discouraging large weight values.

3. Which type of autoencoder is specifically designed to handle noisy input data?

- a) Sparse autoencoders
- b) Contractive autoencoders
- c) Denoising autoencoders
- d) Parameter sharing autoencoders

Answer: c) Denoising autoencoders

Explanation: Denoising autoencoders are trained to reconstruct clean data from corrupted or noisy input, making them robust to noisy input data.

- 4. Which type of autoencoder introduces sparsity in the hidden layer activations during training?
- a) Denoising autoencoders
- b) Sparse autoencoders
- c) Contractive autoencoders
- d) Dropout autoencoders

Answer: b) Sparse autoencoders

Explanation: Sparse autoencoders enforce sparsity in the hidden layer activations, encouraging only a few neurons to be activated at a time.

- 5. Which type of autoencoder imposes constraints on the Jacobian matrix of the hidden layer with respect to the input data?
- a) Denoising autoencoders
- b) Sparse autoencoders

c) Contractive autoencoders

d) Regularized autoencoders

Answer: c) Contractive autoencoders

Explanation: Contractive autoencoders add an additional term to the loss function that penalizes the Frobenius norm of the Jacobian matrix of the hidden layer activations with respect to the input data.

6. Which regularization technique helps in finding the balance between bias and variance in autoencoder training?

a) Dropout

b) L2 regularization

c) Early stopping

d) Dataset augmentation

Answer: c) Early stopping

Explanation: Early stopping prevents overfitting by stopping the training process when performance on a validation dataset starts to degrade, thus helping to find the optimal balance between bias and variance.

7. Which regularization technique involves creating new synthetic data points based on existing data samples?

a) Dropout

b) L2 regularization

- c) Early stopping
- d) Dataset augmentation

Answer: d) Dataset augmentation

Explanation: Dataset augmentation involves generating new training samples by applying transformations such as rotation, scaling, or flipping to existing data points, thereby increasing the diversity of the training data.

- 8. Which technique aims to reduce the number of parameters in a neural network by sharing weights between different parts of the model?
- a) Parameter sharing and tying
- b) Ensemble methods
- c) Dropout
- d) Batch Normalization

Answer: a) Parameter sharing and tying

Explanation: Parameter sharing and tying reduce the model's complexity by using the same set of weights for multiple components of the network, such as sharing weights between encoder and decoder in autoencoders.

- 9. Which technique helps prevent overfitting by randomly deactivating neurons during training?
- a) Batch Normalization
- b) Dropout

- c) L2 regularization
- d) Instance Normalization

Answer: b) Dropout

Explanation: Dropout randomly drops out (deactivates) a proportion of neurons during each training iteration, forcing the network to learn more robust features and preventing overfitting.

10. Which normalization technique normalizes the activations of a neural network layer across the entire dataset?

- a) Batch Normalization
- b) Instance Normalization
- c) Group Normalization
- d) Layer Normalization

Answer: b) Instance Normalization

Explanation: Instance Normalization normalizes the activations of each instance (sample) across all its feature channels, irrespective of other samples in the batch.

- 11. Which normalization technique divides the activations of a neural network layer into groups and normalizes each group independently?
- a) Batch Normalization
- b) Instance Normalization
- c) Group Normalization

d) Layer Normalization

Answer: c) Group Normalization

Explanation: Group Normalization divides the activations into groups and computes mean and standard deviation separately for each group, allowing it to work effectively even with smaller batch sizes.

12. Which technique involves adjusting the learning rate based on the moving average of gradients and squared gradients?

- a) Adagrad
- b) RMSprop
- c) Adam
- d) Batch Normalization

Answer: c) Adam

Explanation: Adam optimizer adapts the learning rate for each parameter based on the first and second moments of the gradients, which are computed as moving averages.

13. Which type of autoencoder is most suitable for handling high-dimensional input data with a limited number of training samples?

- a) Denoising autoencoders
- b) Sparse autoencoders
- c) Variational autoencoders
- d) Contractive autoencoders

EasyExamNotes.com

Autoencoder MCQ

Answer: c) Variational autoencoders

Explanation: Variational autoencoders are capable of generating new data samples by learning the underlying probability distribution of the input data, making them suitable for scenarios with limited training samples.

14. Which technique involves training multiple models independently and then combining

their predictions?

a) Dropout

b) Ensemble methods

c) Batch Normalization

d) Instance Normalization

Answer: b) Ensemble methods

Explanation: Ensemble methods improve model performance by combining predictions from multiple models, often trained with different initializations or on different subsets of data.

15. Which regularization technique involves penalizing large activations of neurons in a

neural network?

a) L2 regularization

b) L1 regularization

c) Dropout

d) Batch Normalization

Answer: b) L1 regularization

Explanation: L1 regularization adds a penalty term to the loss function based on the absolute

values of the weights, encouraging sparsity in the model.

16. Which technique helps in training deep neural networks by normalizing the activations of

each layer?

a) Dropout

b) Batch Normalization

c) Instance Normalization

d) Layer Normalization

Answer: b) Batch Normalization

Explanation: Batch Normalization normalizes the activations of each layer by adjusting the

mean and variance of each mini-batch, which helps in stabilizing and accelerating the

training of deep neural networks.

17. Which type of autoencoder is effective in learning compact representations of data by

enforcing a bottleneck structure?

a) Denoising autoencoders

b) Sparse autoencoders

c) Variational autoencoders

d) Contractive autoencoders

Answer: Any of (a), (b), or (d)

Explanation: Denoising, Sparse, and Contractive autoencoders all enforce certain constraints

that lead to learning compact representations, albeit through different mechanisms.

18. Which technique aims to reduce internal covariate shift by normalizing the activations of

each layer?

a) Batch Normalization

b) Layer Normalization

c) Instance Normalization

d) Group Normalization

Answer: a) Batch Normalization

Explanation: Batch Normalization mitigates internal covariate shift by normalizing the activations of each layer based on the mean and variance of the current mini-batch.

19. Which regularization technique involves randomly perturbing the input data during

training to improve generalization?

a) Dropout

b) Dataset augmentation

c) L2 regularization

d) Early stopping

Answer: b) Dataset augmentation

Explanation: Dataset augmentation involves introducing variations to the input data, such as rotations or translations, to provide the model with a more diverse training set and improve generalization.

- 20. Which technique involves adjusting the learning rate for each parameter based on the history of parameter updates?
- a) Adagrad
- b) RMSprop
- c) Adam
- d) SGD

Answer: a) Adagrad

Explanation: Adagrad adapts the learning rate for each parameter by scaling it inversely proportional to the square root of the sum of squared gradients accumulated over all previous time steps.

- 21. Which type of autoencoder is suitable for generating new data samples by sampling from a learned probability distribution?
- a) Denoising autoencoders
- b) Sparse autoencoders
- c) Variational autoencoders
- d) Contractive autoencoders

Answer: c) Variational autoencoders

Explanation: Variational autoencoders learn a probabilistic latent space representation of the input data, allowing them to generate new samples by sampling from this learned distribution.

- 22. Which technique involves applying a learned transformation to normalize the activations of each layer?
- a) Batch Normalization
- b) Instance Normalization
- c) Layer Normalization
- d) Group Normalization

Answer: b) Instance Normalization

Explanation: Instance Normalization applies a learned transformation to normalize the activations of each layer, making it suitable for style transfer and normalization of individual samples.

- 23. Which regularization technique involves penalizing large gradients during training?
- a) L1 regularization
- b) Dropout
- c) Weight decay
- d) Batch Normalization

Answer: c) Weight decay

Explanation: Weight decay, often implemented as L2 regularization, penalizes large gradients by adding a term to the loss function proportional to the square of the weights.

24. Which type of autoencoder is effective in reconstructing clean data from noisy or corrupted input?

- a) Sparse autoencoders
- b) Denoising autoencoders
- c) Variational autoencoders
- d) Contractive autoencoders

Answer: b) Denoising autoencoders

Explanation: Denoising autoencoders are trained to reconstruct clean data from noisy or corrupted input, making them suitable for tasks involving noisy data.

25. Which technique involves applying a fixed or learned transformation to normalize the activations of each layer?

- a) Batch Normalization
- b) Instance Normalization
- c) Layer Normalization
- d) Group Normalization

Answer: c) Layer Normalization

Explanation: Layer Normalization normalizes the activations of each layer by applying a fixed or learned transformation, independently for each sample in the batch.

26. Which technique involves randomly setting a fraction of input units to zero during training to improve generalization?

- a) L2 regularization
- b) Dropout

- c) Batch Normalization
- d) Data augmentation

Answer: b) Dropout

Explanation: Dropout randomly deactivates a fraction of neurons during training, forcing the model to learn more robust features and reducing overfitting.

- 27. Which normalization technique normalizes the activations of each layer based on the statistics of all samples in the training set?
- a) Batch Normalization
- b) Instance Normalization
- c) Layer Normalization
- d) Group Normalization

Answer: c) Layer Normalization

Explanation: Layer Normalization normalizes the activations of each layer based on the statistics of all samples in the training set, making it suitable for recurrent neural networks.

- 28. Which regularization technique involves stopping the training process when performance on a validation dataset starts to degrade?
- a) Early stopping
- b) Dropout
- c) L1 regularization
- d) Data augmentation

Answer: a) Early stopping

Explanation: Early stopping prevents overfitting by monitoring performance on a validation dataset and stopping the training process when performance begins to worsen.

29. Which type of autoencoder is effective in learning sparse representations of data?

- a) Denoising autoencoders
- b) Sparse autoencoders
- c) Variational autoencoders
- d) Contractive autoencoders

Answer: b) Sparse autoencoders

Explanation: Sparse autoencoders enforce sparsity in the hidden layer activations, leading to the learning of sparse representations of data.

30. Which regularization technique involves adding noise to the input data during training?

- a) Dropout
- b) Data augmentation
- c) L2 regularization
- d) Batch Normalization

Answer: b) Data augmentation

Explanation: Data augmentation involves adding noise or perturbations to the input data during training to improve the model's generalization ability.

Related posts:

- 1. Genetic Algorithms MCQ
- 2. Neural Network History and Architectures MCQ
- 3. Deep Learning MCQs
- 4. RL & Bandit Algorithms MCQs
- 5. RL Techniques MCQs
- 6. Introduction to Energy Science MCQ
- 7. Ecosystems MCQ
- 8. Biodiversity and its conservation MCQ
- 9. Environmental Pollution mcq
- 10. Social Issues and the Environment MCQ
- 11. Field work mcg
- 12. Discrete Structure MCQ
- 13. Set Theory, Relation, and Function MCQ
- 14. Propositional Logic and Finite State Machines MCQ
- 15. Graph Theory and Combinatorics MCQ
- 16. Relational algebra, Functions and graph theory MCQ
- 17. Data Structure MCQ
- 18. Stacks MCO
- 19. TREE MCQ
- 20. Graphs MCQ
- 21. Sorting MCQ
- 22. Digital Systems MCQ
- 23. Combinational Logic MCQ
- 24. Sequential logic MCQ
- 25. Analog/Digital Conversion, Logic Gates, Multivibrators, and IC 555 MCQ

- 26. Introduction to Digital Communication MCQ
- 27. Introduction to Object Oriented Thinking & Object Oriented Programming MCQ
- 28. Encapsulation and Data Abstraction MCQ
- 29. MCQ
- 30. Relationships Inheritance MCQ
- 31. Polymorphism MCQ
- 32. Library Management System MCQ
- 33. Numerical Methods MCQ
- 34. Transform Calculus MCQ
- 35. Concept of Probability MCQ
- 36. Algorithms, Designing MCQ
- 37. Study of Greedy strategy MCQ
- 38. Concept of dynamic programming MCQ
- 39. Algorithmic Problem MCQ
- 40. Trees, Graphs, and NP-Completeness MCQ
- 41. The Software Product and Software Process MCQ
- 42. Software Design MCQ
- 43. Software Analysis and Testing MCQ
- 44. Software Maintenance & Software Project Measurement MCQ
- 45. Computer Architecture, Design, and Memory Technologies MCQ
- 46. Basic Structure of Computer MCQ
- 47. Computer Arithmetic MCQ
- 48. I/O Organization MCQ
- 49. Memory Organization MCQ
- 50. Multiprocessors MCQ
- 51. Introduction to Operating Systems MCQ
- 52. File Systems MCQ

- 53. CPU Scheduling MCQ
- 54. Memory Management MCQ
- 55. Input / Output MCQ
- 56. Operating Systems and Concurrency
- 57. Software Development and Architecture MCQ
- 58. Software architecture models MCQ
- 59. Software architecture implementation technologies MCQ
- 60. Software Architecture analysis and design MCQ
- 61. Software Architecture documentation MCQ
- 62. Introduction to Computational Intelligence MCQ
- 63. Fuzzy Systems MCQ
- 64. Rough Set Theory MCQ
- 65. Introduction to Swarm Intelligence, Swarm Intelligence Techniques MCQ
- 66. Review of traditional networks MCQ
- 67. Study of traditional routing and transport MCQ
- 68. Wireless LAN MCQ
- 69. Mobile transport layer MCQ
- 70. Big Data MCQ
- 71. Hadoop and Related Concepts MCQ
- 72. Hive, Pig, and ETL Processing MCQ
- 73. NoSQL MCQs Concepts, Variations, and MongoDB
- 74. Mining social Network Graphs MCQ
- 75. Mathematical Background for Cryptography MCQ
- 76. Cryptography MCQ
- 77. Cryptographic MCQs
- 78. Information Security MCQ
- 79. Cryptography and Information Security Tools MCQ

- 80. Data Warehousing MCQ
- 81. OLAP Systems MCQ
- 82. Introduction to Data& Data Mining MCQ
- 83. Supervised Learning MCQ
- 84. Clustering & Association Rule mining MCQ
- 85. Fundamentals of Agile Process MCQ
- 86. Agile Projects MCQs
- 87. Introduction to Scrum MCQs
- 88. Introduction to Extreme Programming (XP) MCQs
- 89. Agile Software Design and Development MCQs
- 90. Machine Learning Fundamentals MCQs
- 91. Neural Network MCQs
- 92. CNNs MCQ
- 93. Reinforcement Learning and Sequential Models MCQs
- 94. Machine Learning in ImageNet Competition mcq
- 95. Computer Network MCQ
- 96. Data Link Layer MCQ
- 97. MAC Sub layer MCQ
- 98. Network Layer MCQ
- 99. Transport Layer MCQ
- 100. Raster Scan Displays MCQs
- 101. 3-D Transformations MCQs
- 102. Visualization MCQ
- 103. Multimedia MCQs
- 104. Introduction to compiling & Lexical Analysis MCQs
- 105. Syntax Analysis & Syntax Directed Translation MCQs
- 106. Type Checking & Run Time Environment MCQs

- 107. Code Generation MCQs
- 108. Code Optimization MCQs
- 109. INTRODUCTION Knowledge Management MCQs
- 110. Organization and Knowledge Management MCQs
- 111. Telecommunications and Networks in Knowledge Management MCQs
- 112. Components of a Knowledge Strategy MCQs
- 113. Advanced topics and case studies in knowledge management MCQs
- 114. Conventional Software Management MCQs
- 115. Software Management Process MCQs
- 116. Software Management Disciplines MCQs
- 117. Rural Management MCQs
- 118. Human Resource Management for rural India MCQs
- 119. Management of Rural Financing MCQs
- 120. Research Methodology MCQs
- 121. Research Methodology MCQs
- 122. IoT MCOs
- 123. Sensors and Actuators MCQs
- 124. IoT MCQs: Basics, Components, Protocols, and Applications
- 125. MCQs on IoT Protocols
- 126. IoT MCQs
- 127. INTRODUCTION Block Chain Technologies MCQs
- 128. Understanding Block chain with Crypto currency MCQs
- 129. Understanding Block chain for Enterprises MCQs
- 130. Enterprise application of Block chain MCQs
- 131. Block chain application development MCQs
- 132. MCOs on Service Oriented Architecture, Web Services, and Cloud Computing
- 133. Utility Computing, Elastic Computing, Ajax MCQs

- 134. Data in the cloud MCQs
- 135. Cloud Security MCQs
- 136. Issues in cloud computinG MCQs
- 137. Introduction to modern processors MCQs
- 138. Data access optimizations MCQs
- 139. Parallel Computing MCQs
- 140. Efficient Open MP Programming MCQs
- 141. Distributed Memory parallel programming with MPI MCQs
- 142. Review of Object Oriented Concepts and Principles MCQs.
- 143. Introduction to RUP MCQs.
- 144. UML and OO Analysis MCQs
- 145. Object Oriented Design MCQs
- 146. Object Oriented Testing MCQs
- 147. CVIP Basics MCQs
- 148. Image Representation and Description MCQs
- 149. Region Analysis MCQs
- 150. Facet Model Recognition MCQs
- 151. Knowledge Based Vision MCQs
- 152. Game Design and Semiotics MCQs
- 153. Systems and Interactivity Understanding Choices and Dynamics MCQs
- 154. Game Rules Overview Concepts and Case Studies MCQs
- 155. IoT Essentials MCQs
- 156. Sensor and Actuator MCQs
- 157. IoT Networking & Technologies MCQs
- 158. MQTT, CoAP, XMPP, AMQP MCQs
- 159. IoT MCQs: Platforms, Security, and Case Studies
- 160. MCQs on Innovation and Entrepreneurship

- 161. Innovation Management MCQs
- 162. Stage Gate Method & Open Innovation MCQs
- 163. Innovation in Business: MCQs
- 164. Automata Theory MCQs
- 165. Finite Automata MCQs
- 166. Grammars MCQs
- 167. Push down Automata MCQs
- 168. Turing Machine MCQs
- 169. Database Management System (DBMS) MCQs
- 170. Relational Data models MCQs
- 171. Data Base Design MCQs
- 172. Transaction Processing Concepts MCQs
- 173. Control Techniques MCQs
- 174. DBMS Concepts & SQL Essentials MCQs
- 175. DESCRIPTIVE STATISTICS MCQs
- 176. INTRODUCTION TO BIG DATA MCQ
- 177. BIG DATA TECHNOLOGIES MCQs
- 178. PROCESSING BIG DATA MCQs
- 179. HADOOP MAPREDUCE MCQs
- 180. BIG DATA TOOLS AND TECHNIQUES MCQs
- 181. Pattern Recognition MCQs
- 182. Classification Algorithms MCQs
- 183. Pattern Recognition and Clustering MCQs
- 184. Feature Extraction & Selection Concepts and Algorithms MCQs
- 185. Pattern Recognition MCQs
- 186. Understanding Cybercrime Types and Challenges MCQs
- 187. Cybercrime MCQs

- 188. Cyber Crime and Criminal justice MCQs
- 189. Electronic Evidence MCQs
- 190. Data Science MCQs
- 191. DBMS Normalization MCQs
- 192. Advanced Computer Architecture MCQ
- 193. Introduction to Information Security MCQ
- 194. Computer Graphics Multimedia PYQ
- 195. HTML MCQs
- 196. Basic concepts of OOP MCQS
- 197. File System MCQs
- 198. Social Issues and the Environment mcqs
- 199. FM Modulation & Transmission MCQs
- 200. Introduction to ICs and Op-Amps MCQs