- 1. Which type of canal lining is typically used to minimize seepage losses?
- a) Concrete lining
- b) Earthen lining
- c) Brick lining
- d) Composite lining

Answer: a) Concrete lining

Explanation: Concrete lining is commonly used in canals to minimize seepage losses due to its impermeable nature and durability.

- 2. Kennedy's silt theory is related to:
- a) Canal lining
- b) Canal alignment
- c) Canal design
- d) Canal losses

Answer: d) Canal losses

Explanation: Kennedy's silt theory provides a method for estimating the sediment transport capacity of a canal, which helps in managing sedimentation and reducing losses.

- 3. Which theory is used to determine the minimum velocity required to transport silt in a canal?
- a) Manning's formula
- b) Lacey's silt theory
- c) Chezy's formula
- d) Kennedy's silt theory

Answer: b) Lacey's silt theory

Explanation: Lacey's silt theory is used to determine the minimum velocity required to prevent sediment deposition in a canal, thus aiding in its efficient operation.

- 4. What is the primary objective of lining a canal?
- a) Enhancing aesthetic appeal
- b) Minimizing seepage losses
- c) Facilitating sediment deposition
- d) Increasing evaporation losses

Answer: b) Minimizing seepage losses

Explanation: Lining a canal helps in reducing seepage losses, thus conserving water and improving the efficiency of water conveyance systems.

- 5. Which material is commonly used for lining canals due to its durability and impermeability?
- a) Plastic
- b) Wood
- c) Concrete
- d) Bamboo

Answer: c) Concrete

Explanation: Concrete is frequently used for lining canals due to its durability, impermeability, and resistance to erosion.

- 6. Hydraulic structures are primarily built for:
- a) Flood control
- b) Irrigation

- c) Transportation
- d) Recreation

Answer: a) Flood control

Explanation: Hydraulic structures such as dams, spillways, and barrages are constructed primarily for flood control purposes, although they may serve other functions as well.

- 7. Which hydraulic structure is designed to regulate water flow in a canal system?
- a) Weir
- b) Dam
- c) Spillway
- d) Barrage

Answer: a) Weir

Explanation: Weirs are hydraulic structures constructed across rivers or canals to regulate water flow by controlling upstream water levels.

- 8. Which hydraulic structure is primarily used to store water for irrigation, hydroelectric power generation, and domestic use?
- a) Weir
- b) Spillway
- c) Dam
- d) Barrage

Answer: c) Dam

Explanation: Dams are built to impound water, creating reservoirs used for various purposes such as irrigation, power generation, and water supply.

- 9. A spillway is designed to:
- a) Divert water for irrigation
- b) Store water for domestic use
- c) Release excess water from a reservoir
- d) Control sediment deposition

Answer: c) Release excess water from a reservoir

Explanation: A spillway is a structure built to safely release excess water from a reservoir to prevent overtopping of the dam and potential damage downstream.

- 10. Barrages are primarily constructed for:
- a) Flood control
- b) Navigation
- c) Irrigation diversion
- d) Hydroelectric power generation

Answer: c) Irrigation diversion

Explanation: Barrages are low-head dams built across rivers to divert water into irrigation canals, providing water for agricultural purposes.