

In C programming, control statements are used to alter the flow of execution in a program based on certain conditions or to repeat a set of statements.

The commonly used control statements in C are:

If-Else Statement:

- The if-else statement is used to make a decision based on a condition.
- If the condition is true, the statements within the if block are executed; otherwise, the statements within the else block (optional) are executed.

```
if (condition) {
    // code to execute if condition is true
} else {
    // code to execute if condition is false
}
```

Switch Statement:

- The switch statement is used to select one of many code blocks to be executed based on the value of an expression.
- It provides an alternative to a long sequence of if-else if-else statements.

```
\mathsf{C}^{\mathsf{A}}
```

```
switch (expression) {
   case constant1:
        // code to execute if expression matches constant1
        break;
   case constant2:
        // code to execute if expression matches constant2
        break;
   // ...
   default:
        // code to execute if no case matches the expression
}
```

Loops:

Loops are used to repeat a set of statements until a specific condition is met.

The commonly used loops in C are:

for loop:

Executes a block of code repeatedly based on an initialization, condition, and increment/decrement.

```
for (initialization; condition; increment/decrement) {
    // code to execute repeatedly
}
```

while loop:

Repeats a block of code as long as the condition is true.

```
while (condition) {
    // code to execute repeatedly
}
```

do-while loop:

Executes a block of code first and then repeats it as long as the condition is true.

```
do {
    // code to execute repeatedly
} while (condition);
```

Jump Statements:

Jump statements are used to transfer control within a program to a different section of code.

The commonly used jump statements in C are:

break statement:

Terminates the current loop or switch statement and transfers control to the statement immediately following the loop or switch.

continue statement:

Skips the remaining code within the loop for the current iteration and proceeds to the next iteration.

goto statement:

Transfers control to a labeled statement within the same function. (Note: goto should be used with caution as it can make code harder to read and maintain.)

Related posts:

- 1. C prgoram to convert inch to feet
- 2. C program to convert KM to CM
- 3. C program to convert meter to centimeter
- 4. C program to calculate remainder, difference, division, product
- 5. C program to use printf() without semicolon "; "
- 6. C program to swap two numbers using 2 variables
- 7. C program to find nth term using Arithmetic progrssion
- 8. C program to find sum of first n even positive numbers
- 9. C program to calculate sum of first n even numbers
- 10. C program to find nth odd number
- 11. C program to find sum of first n odd positive numbers
- 12. C program to calculate perimeter and area of a rectangle
- 13. C program to calculate perimeter and area of a square
- 14. C program to calculate Perimeter and Area of Circle
- 15. Function in C Programming
- 16. C Programming Q & A
- 17. Main function in C Programming Q and A
- 18. Void main in C Programming
- 19. Variables Q and A in C Programming
- 20. Write a C Program to find the percentage of marks?
- 21. Write a c program to find age of a person?

- 22. Write a c program to get table of a number
- 23. What is Break statement in C Programming?
- 24. Write a c program to generate all combinations of 1, 2 and 3 using for loop.
- 25. Write a C program to print all the prime numbers between 1 to 50.
- 26. Write a C program to get factorial of a number?
- 27. What is user defined function in C programming?
- 28. Difference between C and C++ Programming?
- 29. Difference between C, C++ and Java Programming
- 30. C program addition of numbers using pointer
- 31. C Syntax
- 32. Comments in C
- 33. Variables in C
- 34. Data types in C
- 35. Format specifiers in C
- 36. Type Conversion in C
- 37. Constants in C
- 38. Operators in C
- 39. Pre and Post Increament Practice Problems
- 40. Pre and Post Increament
- 41. Array in C
- 42. C Introduction
- 43. C Get Started
- 44. C Pointers
- 45. C History
- 46. C Program Compiling and running
- 47. C While loop
- 48. C Do While Loop

- 49. C For loop
- 50. break and continue statement
- 51. C if-else ladder
- 52. C if statements
- 53. C 2-Dimensional array
- 54. C String library functions
- 55. C Functions
- 56. C Functions Categories
- 57. C Actual Arguments
- 58. Write a program that prints the message "Hello, World!"
- 59. Write a program that asks the user to enter two numbers, and then prints the sum of those two numbers.
- 60. Write a program that asks the user to enter a number and then determines whether the number is even or odd.
- 61. Write a program that swaps the values of two variables.
- 62. Write a program that asks the user to enter a number and then calculates and prints its factorial.
- 63. Write a program that asks the user to enter a number N and then prints the first N numbers in the Fibonacci sequence
- 64. Write a program that swaps the values of two variables without using a temporary variable
- 65. Converts a number into integer, float, and string
- 66. Program to find the length of the string
- 67. Program to convert string to uppercase or lowercase
- 68. Program to prints the numbers from 1 to 10.
- 69. What is identifier expected error
- 70. Difference between static and non static methods in Java

- 71. C String Input
- 72. C Character input
- 73. C Programming Variables MCQ
- 74. Object & Classes
- 75. C Programming find the output MCQs