## Instruction Format:

Instruction format is the layout of a machine instruction that defines how the instruction is encoded in memory. The instruction format specifies the length of the instruction, the number of operands, and the type of operation to be performed.

In general, the instruction format includes several fields, including the opcode, which specifies the type of operation to be performed, and the operand fields, which specify the operands for the operation. The format may also include fields for addressing modes, which specify how operands are accessed in memory, and for control flags, which specify additional control information, such as whether the instruction is conditional or not.

There are different types of instruction formats, including fixed-length formats, variablelength formats, and packed formats. Fixed-length formats are used when all instructions have the same length, while variable-length formats are used when instructions have different lengths. Packed formats are used when multiple instructions are packed into a single memory location.

## I/O System:

The Input/Output (I/O) system is a subsystem of a computer system that manages the input and output operations between the computer and its peripherals. The I/O system includes the hardware and software components that are responsible for transferring data between the computer's memory and its peripheral devices, such as keyboards, mice, displays, printers, and storage devices.

The I/O system is designed to provide a standard interface between the computer and its peripherals, so that applications can use a consistent set of instructions and commands to

access the devices. The I/O system includes drivers for each device, which translate highlevel commands from the operating system or application into low-level commands that can be understood by the device.

The I/O system also includes buffering and caching mechanisms to improve the performance of input/output operations. Buffering allows the I/O system to store data temporarily in memory before transferring it to the peripheral device, which can reduce the number of I/O operations required. Caching allows frequently accessed data to be stored in memory, which can reduce the access time to the data.

The I/O system also includes interrupt handling mechanisms, which allow the computer to respond to events that occur on the peripheral devices. When a peripheral device generates an interrupt signal, the I/O system suspends the current process and handles the interrupt, which may involve transferring data, updating status information, or servicing the device.

## Related posts:

- 1. Structure of Desktop computers
- 2. Logic Gates
- 3. Register Organization
- 4. Bus structure in Computer Organization
- 5. Addressing modes
- 6. Register Transfer Language
- 7. Numerical problem on Direct mapping
- 8. Registers in Assembly Language Programming
- 9. Array in Assembly Language Programming
- 10. Net 31
- 11. How to start with GNU Simulator 8085

- 12. Cache Updating Scheme
- 13. Cache Memory
- 14. Principle of Cache Memory
- 15. Cache Mapping
- 16. Addition and subtraction in fixed point numbers
- 17. PCI Bus
- 18. Booths Algorithm
- 19. Write a short note on design of arithmetic unit ?
- 20. Write a short note on Array processors ?
- 21. Write a short note on LRU algorithm ?
- 22. What is the format of Micro Instruction in Computer Architecture explain ?
- 23. What is the layout of pipelined instruction in Computer Architecture ?
- 24. Explain the following interfaces in Detail:PCI Bus, SCSI Bus, USB Bus
- 25. What is Memory Organization ? Discuss different types of Memory Organization in Computer System.
- 26. Computer Organization Q and A
- 27. Write short note on improving cache performance methods in detail ?
- 28. What is Multiprocessor ? Explain inter process communication in detail ?
- 29. Briefly explain the concept of pipelining in detail ?
- 30. Discuss the following in detail: RISC architecture, Vector processing ?
- 31. Explain the design of arithmetic and logic unit by taking on example ?
- 32. Explain how addition and subtraction are performed in fixed point number ?
- 33. Explain different modes of data transfer between the central computer and I/O device
- 34. Differentiate between Serial and parallel data transfer ?
- 35. Explain signed magnitude, signed I's complement and signed 2's complement representation of numbers. Find the range of numbers in all three representations for

8 bit register.

- 36. If cache access time is IOOns, main memory access time is 1000 ns and the hit ratio is 0.9. Find the average access time and also define hit ratio.
- 37. Explain hardwired microprogrammed control unit ? What is address sequencer circuit ?
- 38. Explain how a stack organized computer executes instructions? What is Stack?
- 39. Draw and explain the memory hierarchy in a digital computer. What are advantages of cache memory over main memory?
- 40. What is Associative memory? Explain the concept of address space and memory space in Virtual memory.
- 41. What is Paging? Explain how paging can be implemented in CPU to access virtual memory.
- 42. Explain SIMD array processor along with its architectural diagram ?
- 43. Write short notes on
- 44. Draw the functional and structural views of a computer system and explain in detail ?
- 45. Explain general register organization.
- 46. Compare and contrast DMA and I/O processors ?
- 47. Define the following: a) Flynn's taxonomy b) Replacement algorithm
- 48. Explain the various pipeline vector processing methods ?
- 49. Describe the language features for parallelism ?
- 50. What are different addressing modes? Explain them.
- 51. Explain any page replacement algorithm with the help of example ?
- 52. What is mapping? Name all the types of cache mapping and explain anyone in detail.
- 53. Explain arithmetic pipeline ?
- 54. Write short notes on, a) SIMD, b) Matrix multiplication c) Instruction format
- 55. Differentiate: a) Maskable and non-maskable interrupt b) RISC and CISC
- 56. Computer Organization Previous Years Solved Questions
- 57. Booths algorithm to muliyiply +5 and -15