

Table of Contents



Distributed database

Two main types of distributed databases

Database Links

Benefits of using database links

Snapshot

Two main types of snapshots

Benefits of using snapshots

Relationship between Distributed Database, Database Links, and Snapshots

Related posts:

Distributed database

A distributed database is a database system that spans multiple physical locations, typically across different computers or networks.

The data is physically stored on multiple servers, but it appears to users as a single, unified database.

This allows for improved scalability, availability, and fault tolerance.

Two main types of distributed databases

1. Homogeneous distributed databases: All servers in the system use the same database management system (DBMS).
2. Heterogeneous distributed databases: Different servers in the system may use different DBMSs.

Database Links

Database links are objects in a distributed database that allow users to access data from other databases in the system.

They act like virtual connections between databases, allowing users to perform queries and operations as if the data were local.

Benefits of using database links

- Improved data accessibility: Users can access data from multiple databases in a single query.
- Reduced data redundancy: Data does not need to be replicated on multiple servers.
- Enhanced application functionality: Applications can access data from different sources.

Snapshot

A snapshot is a point-in-time copy of a database or a portion of a database. Snapshots are often used for backup and recovery purposes, testing new applications or software changes, and reporting and analysis.

Two main types of snapshots

- Logical snapshots: These are copies of the database schema and data at a specific point in time.
- Physical snapshots: These are copies of the database files at a specific point in time.

Benefits of using snapshots

- Improved backup and recovery: Snapshots can be used to quickly restore the database to a previous state in case of a failure.
- Enhanced testing and development: Snapshots can be used to test new applications or software changes without affecting the production database.
- Simplified reporting and analysis: Snapshots can be used to analyze data at a specific point in time without affecting the performance of the production database.

Relationship between Distributed Database, Database Links, and Snapshots

- Distributed databases provide the infrastructure for storing and managing data across multiple locations.
- Database links facilitate communication and access to data across different databases in a distributed system.
- Snapshots can be used to capture a point-in-time copy of a distributed database or individual databases within it, enabling backup, recovery, testing, and analysis.

Related Posts:

1. SQL Functions
2. History of DBMS
3. Introduction to DBMS
4. Introduction to Database
5. Advantages and Disadvantages of DBMS
6. SQL | DDL, DML, DCL Commands
7. Domain

8. Entity and Attribute
9. Relationship among entities
10. Attribute
11. Database Relation
12. DBMS Keys
13. Schema
14. Twelve rules of CODD
15. Normalization
16. Functional Dependency
17. Transaction processing concepts
18. Schedules
19. Serializability
20. OODBMS vs RDBMS
21. RDBMS
22. SQL Join
23. SQL Functions
24. Trigger
25. Oracle cursor
26. Introduction to Concurrency control
27. Net 11
28. NET 3
29. NET 2
30. GATE, AVG function and join DBMS | Prof. Jayesh Umre
31. GATE 2014 DBMS FIND Maximum number of Super keys | Prof. Jayesh Umre
32. GATE 2017 DBMS Query | Prof. Jayesh Umre
33. Data types
34. Entity

35. Check Constraint
36. Primary and Foreign key
37. SQL join
38. DDL DML DCL
39. Database applications
40. Disadvantages of file system data management
41. RGPV DBMS Explain the concepts of generalization and aggregation with appropriate examples
42. RGPV solved Database approach vs Traditional file accessing approach
43. Find all employees who live in the city where the company for which they work is located
44. Concept of table spaces, segments, extents and block
45. Triggers: mutating errors, instead of triggers
46. Dedicated Server vs Multi-Threaded Server
47. RDBMS Security
48. SQL queries for various join types
49. Cursor management: nested and parameterized cursors
50. Oracle exception handling mechanism
51. Stored Procedures and Parameters