In PHP, break and continue are control statements used in loops (such as for, while, and dowhile) to alter the normal flow of execution.

Break statement:

The break statement is used to terminate the current loop and continue executing the code outside of the loop. When break is encountered inside a loop, the loop will immediately exit, and the program execution will continue with the statement immediately following the loop.

For example:

```
for ($i = 0; $i < 10; $i++) {
    if ($i == 5) {
        break;
    }
    echo $i . "<br>";
}
```

In this example, the loop will iterate 5 times, and when \$i is equal to 5, the break statement is encountered, causing the loop to exit.

The output of this code will be:

0 1 2

- 2 3
- 4

т

Continue statement:

The continue statement is used to skip the current iteration of a loop and continue with the next iteration. When continue is encountered inside a loop, the current iteration will be skipped, and the program will continue with the next iteration of the loop.

For example:

```
for ($i = 0; $i < 10; $i++) {
    if ($i == 5) {
        continue;
    }
    echo $i . "<br>";
}
```

In this example, when \$i is equal to 5, the continue statement is encountered, causing the loop to skip the current iteration and continue with the next iteration.

The output of this code will be:

Θ			
1			
2			
3			
4			
6			
7			
8			

9

Both break and continue statements are useful when you want to control the flow of execution within a loop based on certain conditions.

Related posts:

- 1. Write brief introduction of PHP with its origin
- 2. Why PHP is better than its alternatives? Explain
- 3. Explain interfaces to external system in PHP ?
- 4. What are the hardware and software requirement of PHP
- 5. Why is PHP known as scripting language?
- 6. What does a PHP Script look like? Explain
- 7. Describe the basics of web designing
- 8. What is WYSIWYG?
- 9. How PHP helps in designing the webpage? Give relevant example
- 10. How can we receive user input in PHP? Give examples
- 11. Explain the procedure to repeat code in PHP.
- 12. Explain the working of PHP script.
- 13. What is the basic syntax of PHP? Explain with example
- 14. Explain various data types in PHP?
- 15. What is Google caffeine? How it works? What are its benefits
- 16. Explain various types of operators available in PHP.
- 17. How can we display data type information in PHP? Give example
- 18. How can we change data type? Explain
- 19. Explain variable manipulation in PHP
- 20. What are dynamic variables in PHP? Explain

- 21. Explain static vs. dynamic optimization
- 22. What is web analytics? Explain.
- 23. Describe analytics and ROI concept. How we can calculate ROI? Write its advantages and disadvantages.
- 24. What are the functions to format string for presentation? Explain
- 25. How can we format string for storage in PHP? Explain
- 26. Explain string comparison in PHP.
- 27. Explain the functions to match and replace strings.
- 28. What are control structures? Explain types of if conditional statement in PHP
- 29. Write a program code for Switch Statement.
- 30. Explain the use of '?' Operator in PHP
- 31. How can we use while loop in PHP ? Give example
- 32. Write a program code for do-while Statement in PHP.
- 33. Explain the use of for loop in PHP with example
- 34. What are nested loops ?
- 35. What is a Function? How can we call a function
- 36. Explain creating a function in PHP.
- 37. Explain the Dynamic Function Calls in PHP ?
- 38. Explain Function Calls with the static Statement in PHP ?
- 39. Explain various types of Arrays used in PHP ?
- 40. Write short notes on Error Tracking and Debugging in PHP.
- 41. Write down the procedure for form validation using Java Script.
- 42. Write the differences between Include and Require in PHP
- 43. Write the differences between GET and POST method in PHP
- 44. PHP Short Notes for DAVV MBA