

## Table of Contents



Some of the most common filter commands in Linux:

1. cat
2. cut
3. wc
4. sort
5. tee
6. tr
7. uniq
8. head
9. tail
10. comm

## In Previous Years Questions

- In Linux, filter commands are powerful tools that process text data and extract specific information.
- They take input from standard input (stdin) and produce output to standard output (stdout).
- By combining multiple filters, you can perform complex tasks on text data.

## Some of the most common filter commands in Linux:

### 1. cat

- Displays the contents of a file line by line.
- Useful for viewing the contents of small files.

### 2. cut

- Extracts specific columns or characters from a file.
- Useful for processing data files with a specific format.

### 3. wc

- Counts the number of lines, words, and bytes in a file.
- Useful for getting quick statistics about a file's size and content.

### 4. sort

- Sorts lines of text alphabetically by default.
- Offers various options to control the sorting order and criteria.

### 5. tee

- Sends the output of a command to both the terminal and a file.
- Useful for recording the output of a command while also viewing it on the screen.

### 6. tr

- Translates characters from one set to another.
- Useful for converting text to uppercase or lowercase, removing specific characters, etc.

### 7. uniq

- Removes duplicate lines from a file.
- Useful for cleaning up data and ensuring unique entries.

### 8. head

- Displays the first n lines of a file.
- Useful for checking the beginning of a file or getting a quick overview of its contents.

## 9. tail

- Displays the last n lines of a file.
- Useful for checking the end of a file or monitoring log files.

## 10. comm

- Compares two sorted files and shows lines that are present in one file but not the other.
- Useful for identifying differences between two versions of a file.