

For the following jobs calculate average waiting time for (i) Round Robin ( $q=2$ ) (ii) Shortest job first algorithms

Process	P1	P2	P3	P4
CPU Burst	10	8	4	6

## Answer

Let's assume that all processes arrive at time 0 for simplicity.

### (i) Round Robin (RR) Scheduling ( $q = 2$ ):

Step 1: Execute processes in a round-robin fashion with a time quantum ( $q$ ) of 2 until all processes complete.

Time Quantum = 2

Time	P1	P2	P3	P4	P1	P2	P4	P1
	2	2	2	2	2	2	2	4
WT	0	8	6	10	14	16	16	18

Step 2: Calculate the waiting time (WT) for each process.

- $WT(P1) = 0$
- $WT(P2) = 8$
- $WT(P3) = 6$
- $WT(P4) = 10$

For the following jobs calculate average waiting time for (i) Round Robin (q=2) (ii) Shortest job first algorithms

Step 3: Calculate the average waiting time (AWT):

$$AWT = (WT(P1) + WT(P2) + WT(P3) + WT(P4)) / \text{Number of processes}$$

$$AWT = (0 + 8 + 6 + 10) / 4$$

$$AWT = 24 / 4$$

$$AWT = 6$$

## (ii) Shortest Job First (SJF) Scheduling:

Step 1: Execute processes in ascending order of burst time (shortest first) until all processes complete.

Time	P3	P4	P2	P1
	4	6	8	18
WT	0	4	14	16

Step 2: Calculate the waiting time (WT) for each process.

- $WT(P1) = 16$
- $WT(P2) = 14$
- $WT(P3) = 0$
- $WT(P4) = 4$

For the following jobs calculate average waiting time for (i) Round Robin (q=2) (ii) Shortest job first algorithms

Step 3: Calculate the average waiting time (AWT):

$$AWT = (WT(P1) + WT(P2) + WT(P3) + WT(P4)) / \text{Number of processes}$$

$$AWT = (16 + 14 + 0 + 4) / 4$$

$$AWT = 34 / 4$$

$$AWT = 8.5$$