

Table of Contents[Program in C](#)[Program in Java](#)

Write a function that calculates the factorial of a given number N and returns the result.

Program In C

C

```
#include <stdio.h>

int factorial(int N) {
    int result = 1;
    // Calculate factorial
    for (int i = 1; i <= N; i++) {
        result = result * i;
    }

    return result;
}

int main() {
    int N;

    // Getting input from the user
    printf("Enter a number: ");
    scanf("%d", &N);

    // Calculate factorial and display the result
    int fact = factorial(N);
    printf("The factorial of %d is %d\n", N, fact);
```

```
    return 0;  
}
```

Explanation:

1. The factorial function is defined, which takes an integer N as a parameter and returns an integer result. This function calculates the factorial of the given number N.
2. Inside the factorial function, an integer variable result is initialized to 1. This variable will store the factorial result.
3. A for loop is used to calculate the factorial. The loop starts from 1 and iterates up to N. In each iteration, the value of i is multiplied with the current value of result and the updated value is assigned back to result.
4. After the loop finishes, the calculated factorial value is stored in result and returned from the function.
5. In the main function, an integer variable N is declared to store the user input.
6. The program prompts the user to enter a number using printf.
7. The value entered by the user is read and stored in N using scanf.
8. The factorial function is called with N as the argument, and the returned value is stored in an integer variable fact.
9. Finally, the program displays the calculated factorial by printing the message “The factorial of %d is %d\n” using printf. The placeholders %d are replaced with the values of N and fact, respectively.
10. The program execution ends, and the program terminates.

C Output 

```
Enter a number: 5
```

```
The factorial of 5 is 120
```

Program In Java

Java ➔

```
import java.util.Scanner;

public class Factorial {
    public static int factorial(int N) {
        int result = 1;
        // Calculate factorial
        for (int i = 1; i <= N; i++) {
            result *= i;
        }

        return result;
    }

    public static void main(String[] args) {
        int N;

        // Getting input from the user
        Scanner scanner = new Scanner(System.in);
        System.out.print("Enter a number: ");
        N = scanner.nextInt();

        // Calculate factorial and display the result
        int fact = factorial(N);
        System.out.printf("The factorial of %d is %d\n", N, fact);
    }
}
```

```
    }  
}
```

Explanation:

1. The Factorial class is defined, which contains two methods: factorial and main.
2. The factorial method is a static method that takes an integer N as a parameter and returns an integer result. This method calculates the factorial of the given number N.
3. Inside the factorial method, an integer variable result is initialized to 1. This variable will store the factorial result.
4. A for loop is used to calculate the factorial. The loop starts from 1 and iterates up to N. In each iteration, the value of i is multiplied with the current value of result using the *= operator, and the updated value is assigned back to result.
5. After the loop finishes, the calculated factorial value is stored in result and returned from the method.
6. The main method is also static and serves as the entry point of the program.
7. Inside the main method, an integer variable N is declared to store the user input.
8. A Scanner object named scanner is created to read input from the user.
9. The program prompts the user to enter a number using System.out.print("Enter a number: ").
10. The value entered by the user is read and stored in N using scanner.nextInt().
11. The factorial method is called with N as the argument, and the returned value is stored in an integer variable fact.
12. Finally, the program displays the calculated factorial by printing the message "The factorial of %d is %d\n" using System.out.printf(). The placeholders %d are replaced with the values of N and fact, respectively.
13. The program execution ends, and the program terminates.

Java Output

```
Enter a number: 4
The factorial of 4 is 24
```

Related posts:

1. Programming examples
2. Program to prints even numbers from 1 to 20
3. Program to calculate sum of all numbers from 1 to 100.
4. Program to get factorial of a number
5. Program to get Fibonacci sequence
6. Program to checks if number is prime
7. Program to get multiplication table
8. Program to find largest element in an array
9. Program to prints reverse of a string
10. Program to calculates sum of all elements in a list
11. Program determines integer is positive, negative, or zero
12. Program to find largest among three numbers using conditional statements.
13. Program determines it is a leap year or not
14. Program to determines even or odd
15. Program to calculate student exam grade
16. Program determines character is a vowel or consonant
17. Program to determines product is positive or negative
18. Program to determine divisible by both 5 and 7
19. Program to determines equilateral, isosceles, or scalene triangle
20. Programme to check if number is inside range

21. Write a function to detect palindromes in strings
22. Write a function to find the greatest common divisor of two numbers
23. Program to calculate the area of different geometric shapes
24. try-catch block in C++