

1. Which of the following is NOT a type of grammar in Chomsky hierarchy?

- a) Context-sensitive grammar
- b) Regular grammar
- c) Linear grammar
- d) Context-free grammar

Answer: c) Linear grammar

Explanation: In Chomsky hierarchy, the types of grammars are categorized into four levels: Type 0 (Unrestricted), Type 1 (Context-sensitive), Type 2 (Context-free), and Type 3 (Regular). "Linear grammar" is not a recognized category in this hierarchy.

2. Which type of grammar allows productions where the left-hand side may be a single terminal or a single non-terminal?

- a) Context-sensitive grammar
- b) Regular grammar
- c) Context-free grammar
- d) Unrestricted grammar

Answer: c) Context-free grammar

Explanation: In context-free grammars, the left-hand side of productions must consist of a single non-terminal symbol, while the right-hand side can be any string of terminals and non-terminals without any restriction.

3. Which level of grammar in the Chomsky hierarchy is the most restrictive?

- a) Type 0 (Unrestricted)
- b) Type 1 (Context-sensitive)
- c) Type 2 (Context-free)

d) Type 3 (Regular)

Answer: d) Type 3 (Regular)

Explanation: Type 3 grammars, also known as regular grammars, are the most restrictive in the Chomsky hierarchy. They can be defined by regular expressions and can be recognized by finite automata.

4. Which type of grammar is represented by productions of the form $A \rightarrow \alpha$, where A is a non-terminal symbol and α is a string of terminals and/or non-terminals?

- a) Context-sensitive grammar
- b) Context-free grammar
- c) Regular grammar
- d) Unrestricted grammar

Answer: b) Context-free grammar

Explanation: Context-free grammars have productions where the left-hand side consists of a single non-terminal symbol, and the right-hand side can be any string of terminals and non-terminals.

5. In context-sensitive grammars, the productions are of the form $\alpha A \beta \rightarrow \alpha \gamma \beta$, where α , β , and γ are strings of terminals and/or non-terminals, and A is a non-terminal. This is an example of:

- a) Left-linear grammar
- b) Right-linear grammar
- c) Linear context-sensitive grammar
- d) Non-linear context-sensitive grammar

Answer: c) Linear context-sensitive grammar

Explanation: Context-sensitive grammars where the productions have the form $\alpha A \beta \rightarrow \alpha \gamma \beta$, where α , β , and γ are strings of terminals and/or non-terminals, and A is a non-terminal, are called linear context-sensitive grammars.

6. Which of the following is true regarding regular grammars?

- a) Regular grammars can generate languages that are not recognized by finite automata.
- b) Regular grammars can generate any context-free language.
- c) Regular grammars can have productions with left-hand sides containing multiple non-terminals.
- d) Regular grammars can be represented by regular expressions.

Answer: d) Regular grammars can be represented by regular expressions.

Explanation: Regular grammars can be defined using regular expressions, and they can be recognized by finite automata.

7. Ambiguity in context-free grammars arises when:

- a) There are multiple parse trees for a single string.
- b) The grammar contains only one non-terminal symbol.
- c) The grammar is in Chomsky normal form.
- d) The grammar has no nullable productions.

Answer: a) There are multiple parse trees for a single string.

Explanation: Ambiguity occurs in context-free grammars when a single string can be derived by multiple parse trees, leading to multiple possible interpretations.

8. Which of the following is NOT a method to simplify a context-free grammar?

- a) Eliminating unit productions
- b) Eliminating null productions
- c) Introducing more non-terminals
- d) Removing unreachable symbols

Answer: c) Introducing more non-terminals

Explanation: Simplification of a context-free grammar typically involves eliminating unit productions, null productions, and unreachable symbols, rather than introducing more non-terminals.

9. Which normal form allows productions of the form $A \rightarrow BC$, where A, B, and C are non-terminals?

- a) Chomsky normal form
- b) Greibach normal form
- c) Right-normal form
- d) Left-normal form

Answer: b) Greibach normal form

Explanation: Greibach normal form allows productions of the form $A \rightarrow BC$, where A, B, and C are non-terminals. In Chomsky normal form, productions are either of the form $A \rightarrow BC$ or $A \rightarrow a$, where A, B, and C are non-terminals and 'a' is a terminal.

10. Which of the following is true regarding Chomsky normal form (CNF)?

- a) CNF allows productions of the form $A \rightarrow \alpha B$, where A and B are non-terminals and α is a string of terminals and/or non-terminals.
- b) CNF allows ϵ -productions.
- c) CNF allows unit productions.

d) CNF allows left recursion.

Answer: b) CNF allows ϵ -productions.

Explanation: Chomsky normal form (CNF) does not allow ϵ -productions. It requires productions to be either of the form $A \rightarrow BC$ or $A \rightarrow a$, where A, B, and C are non-terminals and 'a' is a terminal.

11. Which of the following automata is equivalent to a regular grammar?

- a) Turing machine
- b) Pushdown automaton
- c) Finite state machine
- d) Queue automaton

Answer: c) Finite state machine

Explanation: Regular grammars can be recognized by finite state machines, also known as finite automata.

12. The process of eliminating null productions from a context-free grammar involves:

- a) Removing productions that derive the empty string.
- b) Replacing non-terminals that can derive the empty string with their corresponding productions.
- c) Introducing new non-terminals to represent ϵ -productions.
- d) Eliminating productions that contain only terminals.

Answer: b) Replacing non-terminals that can derive the empty string with their corresponding productions.

Explanation: Null productions are productions that derive the empty string (ϵ). To eliminate

them, non-terminals that can derive ϵ are replaced with their corresponding productions in all other productions where they appear.

13. Which of the following statements about context-sensitive grammars is false?

- a) Context-sensitive grammars can generate languages that cannot be recognized by a linear-bounded automaton.
- b) Context-sensitive grammars allow rewriting rules where the length of the right-hand side can be different from the length of the left-hand side.
- c) Context-sensitive grammars are more powerful than unrestricted grammars.
- d) Context-sensitive grammars are typically used to describe natural languages.

Answer: c) Context-sensitive grammars are more powerful than unrestricted grammars.

Explanation: Context-sensitive grammars are less powerful than unrestricted grammars, as unrestricted grammars can generate any recursively enumerable language, while context-sensitive grammars are limited to a subset of recursively enumerable languages.

14. The Chomsky hierarchy of grammars is based on:

- a) The number of non-terminals in the grammar.
- b) The complexity of productions in the grammar.
- c) The number of terminals in the grammar.
- d) The generative power of the grammar.

Answer: d) The generative power of the grammar.

Explanation: The Chomsky hierarchy classifies grammars based on their generative power, which reflects the complexity of the languages they can generate.

15. Which of the following is a characteristic of a context-free grammar in Chomsky normal

form (CNF)?

- a) Every production is of the form $A \rightarrow \alpha B$, where A and B are non-terminals and α is a terminal or ϵ .
- b) The grammar does not contain any null productions.
- c) The grammar can be recognized by a pushdown automaton.
- d) Left recursion is allowed in the productions.

Answer: a) Every production is of the form $A \rightarrow \alpha B$, where A and B are non-terminals and α is a terminal or ϵ .

Explanation: Chomsky normal form (CNF) requires productions to be either of the form $A \rightarrow BC$ or $A \rightarrow a$, where A, B, and C are non-terminals and 'a' is a terminal or ϵ .

16. Which of the following operations is NOT part of the process of converting a context-free grammar to a pushdown automaton?

- a) Eliminating left recursion
- b) Determinizing the automaton
- c) Converting productions into transitions
- d) Handling epsilon productions

Answer: a) Eliminating left recursion

Explanation: Converting a context-free grammar to a pushdown automaton typically involves operations such as converting productions into transitions, handling epsilon productions, and determinizing the resulting automaton. Eliminating left recursion is a step involved in removing left recursion from a grammar, which is not directly related to converting it into an automaton.

17. The Chomsky hierarchy of grammars is arranged in the following order of increasing

generative power:

- a) Type 0, Type 1, Type 2, Type 3
- b) Type 1, Type 2, Type 3, Type 0
- c) Type 3, Type 2, Type 1, Type 0
- d) Type 0, Type 3, Type 2, Type 1

Answer: c) Type 3, Type 2, Type 1, Type 0

Explanation: The Chomsky hierarchy arranges grammars in the order of increasing generative power from Type 3 (regular grammars) to Type 0 (unrestricted grammars).

18. Which normal form requires every production to be of the form $A \rightarrow a\alpha$, where A is a non-terminal, ' a ' is a terminal, and α is either a terminal or a non-terminal?

- a) Chomsky normal form
- b) Greibach normal form
- c) Right-normal form
- d) Left-normal form

Answer: c) Right-normal form

Explanation: Right-normal form requires every production to be of the form $A \rightarrow a\alpha$, where A is a non-terminal, ' a ' is a terminal, and α is either a terminal or a non-terminal.

19. What is the primary advantage of using Chomsky normal form (CNF) for context-free grammars?

- a) CNF allows for more efficient parsing algorithms.
- b) CNF ensures that the grammar is unambiguous.
- c) CNF simplifies the grammar, making it easier to reason about.
- d) CNF allows for direct conversion to a finite automaton.

Answer: a) CNF allows for more efficient parsing algorithms.

Explanation: Chomsky normal form (CNF) simplifies the structure of context-free grammars, allowing for more efficient parsing algorithms such as CYK (Cocke-Younger-Kasami) algorithm.

20. Which of the following statements regarding unit productions in context-free grammars is true?

- a) Unit productions are productions where the right-hand side contains only terminals.
- b) Unit productions can be directly converted into regular expressions.
- c) Eliminating unit productions does not affect the language generated by the grammar.
- d) Unit productions are productions where the left-hand side and the right-hand side are the same non-terminal.

Answer: d) Unit productions are productions where the left-hand side and the right-hand side are the same non-terminal.

Explanation: Unit productions are productions where a single non-terminal symbol derives another non-terminal symbol directly, without any intervening terminals or non-terminals.

Related posts:

1. Automata Theory MCQs
2. Finite Automata MCQs
3. Push down Automata MCQs
4. Turing Machine MCQs
5. Introduction to Energy Science MCQ
6. Ecosystems MCQ
7. Biodiversity and its conservation MCQ
8. Environmental Pollution mcq

9. Social Issues and the Environment MCQ
10. Field work mcq
11. Discrete Structure MCQ
12. Set Theory, Relation, and Function MCQ
13. Propositional Logic and Finite State Machines MCQ
14. Graph Theory and Combinatorics MCQ
15. Relational algebra, Functions and graph theory MCQ
16. Data Structure MCQ
17. Stacks MCQ
18. TREE MCQ
19. Graphs MCQ
20. Sorting MCQ
21. Digital Systems MCQ
22. Combinational Logic MCQ
23. Sequential logic MCQ
24. Analog/Digital Conversion, Logic Gates, Multivibrators, and IC 555 MCQ
25. Introduction to Digital Communication MCQ
26. Introduction to Object Oriented Thinking & Object Oriented Programming MCQ
27. Encapsulation and Data Abstraction MCQ
28. MCQ
29. Relationships - Inheritance MCQ
30. Polymorphism MCQ
31. Library Management System MCQ
32. Numerical Methods MCQ
33. Transform Calculus MCQ
34. Concept of Probability MCQ
35. Algorithms, Designing MCQ

36. Study of Greedy strategy MCQ
37. Concept of dynamic programming MCQ
38. Algorithmic Problem MCQ
39. Trees, Graphs, and NP-Completeness MCQ
40. The Software Product and Software Process MCQ
41. Software Design MCQ
42. Software Analysis and Testing MCQ
43. Software Maintenance & Software Project Measurement MCQ
44. Computer Architecture, Design, and Memory Technologies MCQ
45. Basic Structure of Computer MCQ
46. Computer Arithmetic MCQ
47. I/O Organization MCQ
48. Memory Organization MCQ
49. Multiprocessors MCQ
50. Introduction to Operating Systems MCQ
51. File Systems MCQ
52. CPU Scheduling MCQ
53. Memory Management MCQ
54. Input / Output MCQ
55. Operating Systems and Concurrency
56. Software Development and Architecture MCQ
57. Software architecture models MCQ
58. Software architecture implementation technologies MCQ
59. Software Architecture analysis and design MCQ
60. Software Architecture documentation MCQ
61. Introduction to Computational Intelligence MCQ
62. Fuzzy Systems MCQ

- 63. Genetic Algorithms MCQ
- 64. Rough Set Theory MCQ
- 65. Introduction to Swarm Intelligence, Swarm Intelligence Techniques MCQ
- 66. Neural Network History and Architectures MCQ
- 67. Autoencoder MCQ
- 68. Deep Learning MCQs
- 69. RL & Bandit Algorithms MCQs
- 70. RL Techniques MCQs
- 71. Review of traditional networks MCQ
- 72. Study of traditional routing and transport MCQ
- 73. Wireless LAN MCQ
- 74. Mobile transport layer MCQ
- 75. Big Data MCQ
- 76. Hadoop and Related Concepts MCQ
- 77. Hive, Pig, and ETL Processing MCQ
- 78. NoSQL MCQs Concepts, Variations, and MongoDB
- 79. Mining social Network Graphs MCQ
- 80. Mathematical Background for Cryptography MCQ
- 81. Cryptography MCQ
- 82. Cryptographic MCQs
- 83. Information Security MCQ
- 84. Cryptography and Information Security Tools MCQ
- 85. Data Warehousing MCQ
- 86. OLAP Systems MCQ
- 87. Introduction to Data& Data Mining MCQ
- 88. Supervised Learning MCQ
- 89. Clustering & Association Rule mining MCQ

- 90. Fundamentals of Agile Process MCQ
- 91. Agile Projects MCQs
- 92. Introduction to Scrum MCQs
- 93. Introduction to Extreme Programming (XP) MCQs
- 94. Agile Software Design and Development MCQs
- 95. Machine Learning Fundamentals MCQs
- 96. Neural Network MCQs
- 97. CNNs MCQ
- 98. Reinforcement Learning and Sequential Models MCQs
- 99. Machine Learning in ImageNet Competition mcq
- 100. Computer Network MCQ
- 101. Data Link Layer MCQ
- 102. MAC Sub layer MCQ
- 103. Network Layer MCQ
- 104. Transport Layer MCQ
- 105. Raster Scan Displays MCQs
- 106. 3-D Transformations MCQs
- 107. Visualization MCQ
- 108. Multimedia MCQs
- 109. Introduction to compiling & Lexical Analysis MCQs
- 110. Syntax Analysis & Syntax Directed Translation MCQs
- 111. Type Checking & Run Time Environment MCQs
- 112. Code Generation MCQs
- 113. Code Optimization MCQs
- 114. INTRODUCTION Knowledge Management MCQs
- 115. Organization and Knowledge Management MCQs
- 116. Telecommunications and Networks in Knowledge Management MCQs

- 117. Components of a Knowledge Strategy MCQs
- 118. Advanced topics and case studies in knowledge management MCQs
- 119. Conventional Software Management MCQs
- 120. Software Management Process MCQs
- 121. Software Management Disciplines MCQs
- 122. Rural Management MCQs
- 123. Human Resource Management for rural India MCQs
- 124. Management of Rural Financing MCQs
- 125. Research Methodology MCQs
- 126. Research Methodology MCQs
- 127. IoT MCQs
- 128. Sensors and Actuators MCQs
- 129. IoT MCQs: Basics, Components, Protocols, and Applications
- 130. MCQs on IoT Protocols
- 131. IoT MCQs
- 132. INTRODUCTION Block Chain Technologies MCQs
- 133. Understanding Block chain with Crypto currency MCQs
- 134. Understanding Block chain for Enterprises MCQs
- 135. Enterprise application of Block chain MCQs
- 136. Block chain application development MCQs
- 137. MCQs on Service Oriented Architecture, Web Services, and Cloud Computing
- 138. Utility Computing, Elastic Computing, Ajax MCQs
- 139. Data in the cloud MCQs
- 140. Cloud Security MCQs
- 141. Issues in cloud computinG MCQs
- 142. Introduction to modern processors MCQs
- 143. Data access optimizations MCQs

- 144. Parallel Computing MCQs
- 145. Efficient Open MP Programming MCQs
- 146. Distributed Memory parallel programming with MPI MCQs
- 147. Review of Object Oriented Concepts and Principles MCQs.
- 148. Introduction to RUP MCQs.
- 149. UML and OO Analysis MCQs
- 150. Object Oriented Design MCQs
- 151. Object Oriented Testing MCQs
- 152. CVIP Basics MCQs
- 153. Image Representation and Description MCQs
- 154. Region Analysis MCQs
- 155. Facet Model Recognition MCQs
- 156. Knowledge Based Vision MCQs
- 157. Game Design and Semiotics MCQs
- 158. Systems and Interactivity Understanding Choices and Dynamics MCQs
- 159. Game Rules Overview Concepts and Case Studies MCQs
- 160. IoT Essentials MCQs
- 161. Sensor and Actuator MCQs
- 162. IoT Networking & Technologies MCQs
- 163. MQTT, CoAP, XMPP, AMQP MCQs
- 164. IoT MCQs: Platforms, Security, and Case Studies
- 165. MCQs on Innovation and Entrepreneurship
- 166. Innovation Management MCQs
- 167. Stage Gate Method & Open Innovation MCQs
- 168. Innovation in Business: MCQs
- 169. Database Management System (DBMS) MCQs
- 170. Relational Data models MCQs

- 171. Data Base Design MCQs
- 172. Transaction Processing Concepts MCQs
- 173. Control Techniques MCQs
- 174. DBMS Concepts & SQL Essentials MCQs
- 175. DESCRIPTIVE STATISTICS MCQs
- 176. INTRODUCTION TO BIG DATA MCQ
- 177. BIG DATA TECHNOLOGIES MCQs
- 178. PROCESSING BIG DATA MCQs
- 179. HADOOP MAPREDUCE MCQs
- 180. BIG DATA TOOLS AND TECHNIQUES MCQs
- 181. Pattern Recognition MCQs
- 182. Classification Algorithms MCQs
- 183. Pattern Recognition and Clustering MCQs
- 184. Feature Extraction & Selection Concepts and Algorithms MCQs
- 185. Pattern Recognition MCQs
- 186. Understanding Cybercrime Types and Challenges MCQs
- 187. Cybercrime MCQs
- 188. Cyber Crime and Criminal justice MCQs
- 189. Electronic Evidence MCQs
- 190. Top MCQs for Practice: Sharpen Your Knowledge and Test-Taking Skills
- 191. Cyber Security MCQs
- 192. Image Processing MCQ
- 193. Software engineering MCQ
- 194. Asymmetric Key Cryptography MCQ
- 195. PHP and MySQL MCQs
- 196. Dynamic Host Configuration Protocol MCQs
- 197. z-Transform mcqs

- 198. Control System Analysis MCQs
- 199. Electronic Circuits with 555 Timer MCQs
- 200. Antenna Fundamentals mcqs