PROGRAM:

```
public class SwitchCase {
       public static void main(String args[])
for(int i=0; i<=3; i++)
       switch(i)
       case 0:
       System.out.println("i is 0");
       break;
       case 1:
       System.out.println("i is 1");
       break;
       case 2:
               System.out.println("i is 2");
               break;
       default:
       System.out.println("i is greater than 2");
       }
}
}
}
OUTPUT:
i is 0
i is 1
i is 2
```

i is greater than 2 Related posts:

- 1. Java program to display message
- 2. Java addition program
- 3. Java program to show use of If, For, Scanner
- 4. Java program to enter marks
- 5. Java program to enter marks, calculate sum, percentage, division etc.
- 6. Java Program to use Nested Switch case
- 7. Java program use of Scanner class, nextInt()
- 8. Java program use of If Else
- 9. Java program 10
- 10. Java program While loop, input.nextInt()
- 11. Java program type casting
- 12. Java Scanner progam
- 13. Java program arithmetic operators
- 14. Java array program
- 15. Java Inheritance
- 16. Java constant
- 17. Java Decrement operator
- 18. Java Do While program
- 19. Java program use of continue
- 20. Java Nested Method
- 21. Java program main function with object
- 22. Javaprogram Graphic Applets
- 23. Java program Applet mouse event handling
- 24. Java program Applet digital clock

- 25. Java program Applet image display
- 26. Java program File handling create operation
- 27. Define a class to declare an integer array of size n and accept the elements into the array.
- 28. Define a class to declare an array of size 20 of the double datatype, accept the elements into the array and perform the following: Calculate and print the sum of all the elements.
- 29. Java program for String, to uppercase, to equal, length of string
- 30. Write a Java program for Buble sort.
- 31. Write a Java program String to uppercase and count words startig with 'A'