Table of Contents



1. Coaxial Cable:

Advantages of Coaxial Cable:

Limitations of Coaxial Cable:

2. Unshielded Twisted Pair (UTP) Cable:

Advantages of Unshielded Twisted Pair (UTP) Cable:

Limitations of Unshielded Twisted Pair (UTP) Cable:

3. Shielded Twisted Pair (STP) Cable:

Advantages of Shielded Twisted Pair (STP) Cable:

Limitations of Shielded Twisted Pair (STP) Cable:

4. Fiber Optic Cable:

Advantages of Fiber Optic Cable:

Limitations of Fiber Optic Cable:

5. Wireless Media:

Advantages of Wireless Media:

Limitations of Wireless Media:

Networking media refers to the physical means through which data is transmitted in a computer network.

There are several types of networking media commonly used, including:

1. Coaxial Cable:

Coaxial cable consists of a central conductor surrounded by an insulating layer, a metallic shield, and an outer insulating layer. It is commonly used for cable television (CATV) and broadband Internet connections. Coaxial cable provides good transmission quality and resistance to external interference.

Advantages of Coaxial Cable:

- 1. Bandwidth: Coaxial cable provides a high bandwidth, which allows for the transmission of large amounts of data. It can support multiple channels simultaneously, making it suitable for applications such as cable television and broadband Internet.
- 2. Signal Quality: Coaxial cable offers excellent signal quality, with minimal signal loss and interference. The design of the cable, including the metallic shield surrounding the central conductor, helps protect the signal from external electromagnetic interference (EMI) and noise.
- 3. Long Distance Transmission: Coaxial cable is capable of transmitting signals over long distances without significant loss of quality. It is commonly used for applications that require long-distance communication, such as cable TV distribution networks.
- 4. Durability: Coaxial cable is robust and durable, making it suitable for various environments. It can withstand physical stress, temperature variations, and moisture to a certain extent, ensuring reliable performance.
- 5. Cost-effective: Coaxial cable is relatively inexpensive compared to other high-bandwidth transmission media such as fiber optic cable. It provides a good balance between performance and cost, making it a cost-effective choice for many applications.

Limitations of Coaxial Cable:

- Limited Bandwidth compared to Fiber Optic Cable: While coaxial cable offers a high bandwidth, it is still lower than what can be achieved with fiber optic cable. Fiber optic cable provides even higher data transmission rates, making it preferable for applications that require extremely high bandwidth.
- 2. Bulkiness: Coaxial cable is thicker and bulkier compared to other networking media

- such as twisted pair cables. This can make installation and handling more challenging, particularly in tight spaces or when multiple cables need to be routed together.
- 3. Limited Flexibility: Due to its thickness and stiffness, coaxial cable has limited flexibility compared to other cable types. It may be less suitable for applications that require tight bends or frequent cable movement.
- 4. Limited Future-proofing: With the ever-increasing demand for higher bandwidth, coaxial cable may have limitations in terms of scalability and future-proofing. It may require upgrades or replacement in the future to keep up with the growing data transmission requirements.

2. Unshielded Twisted Pair (UTP) Cable:

UTP cable is the most commonly used networking media for Ethernet networks. It consists of pairs of twisted copper wires, with each pair individually insulated and all pairs bundled together in a single cable. UTP cable is cost-effective and provides decent performance for short to medium distance network connections.

Advantages of Unshielded Twisted Pair (UTP) Cable:

- Cost-effective: UTP cable is one of the most cost-effective networking media available.
 It is less expensive compared to shielded twisted pair (STP) cable and fiber optic cable, making it a popular choice for many network installations.
- 2. Easy Installation: UTP cable is lightweight, flexible, and easy to handle. It is relatively simple to install and terminate, making it convenient for both professional installers and do-it-yourself network setups.
- 3. Availability: UTP cable is widely available and comes in different categories, such as Cat5e, Cat6, and Cat6a, which offer varying performance levels. Its widespread availability makes it easy to find and procure for network installations.

- 4. Compatibility: UTP cable is compatible with various networking technologies and standards, including Ethernet. It can support data rates up to 10 Gigabits per second (Gbps) in the higher categories, allowing for high-speed data transmission.
- 5. Flexibility: UTP cable can be used in various network topologies, including point-topoint connections and structured cabling systems. It is suitable for both small-scale and large-scale network deployments.

Limitations of Unshielded Twisted Pair (UTP) Cable:

- Limited Distance: UTP cable has a distance limitation compared to fiber optic cable. As
 the distance increases, the signal quality and data transmission rates may degrade.
 The maximum distance depends on the category of UTP cable used and the data rate
 required.
- 2. Susceptibility to Interference: UTP cable is more susceptible to electromagnetic interference (EMI) and radio frequency interference (RFI) compared to shielded cables. It is vulnerable to external sources of interference, such as electrical equipment and nearby cables. This can impact the quality of the transmitted signals and introduce noise.
- 3. Limited Bandwidth: While UTP cable can support high-speed data transmission, its bandwidth is lower compared to fiber optic cable. Fiber optic cable offers higher bandwidth and is more suitable for applications that require extremely high data rates or long-distance transmissions.
- 4. Security: UTP cable does not provide inherent security features. It can be more susceptible to eavesdropping or unauthorized access compared to fiber optic cable, which is more difficult to tap or intercept.

3. Shielded Twisted Pair (STP) Cable:

STP cable is similar to UTP cable but includes an additional metallic shield around each pair of twisted wires. The shielding provides better protection against electromagnetic interference (EMI) and is commonly used in environments with high interference, such as industrial settings.

Advantages of Shielded Twisted Pair (STP) Cable:

- Enhanced Protection from Interference: STP cable provides better protection against
 electromagnetic interference (EMI) and radio frequency interference (RFI) compared to
 unshielded twisted pair (UTP) cable. The metallic shielding surrounding the twisted
 pairs helps to minimize the impact of external interference, ensuring better signal
 quality and reliability.
- Longer Transmission Distances: STP cable can support longer transmission distances compared to UTP cable. The shielding helps to reduce signal degradation due to attenuation over longer cable runs, allowing for more reliable communication over extended distances.
- 3. Improved Signal Quality: The shielding in STP cable helps to reduce crosstalk between adjacent pairs, resulting in better signal quality and reduced data errors. This makes STP cable more suitable for applications that require high data integrity and transmission accuracy.
- 4. Higher Bandwidth: STP cable is capable of supporting higher bandwidths compared to UTP cable. It can handle higher data rates, making it suitable for applications that require greater network performance, such as multimedia streaming or high-speed data transfer.
- 5. Resistance to External Interference: STP cable's shielding also provides resistance to

external electrical noise and interference sources, such as power lines or other nearby cables. This ensures a more stable and reliable network connection in environments with high levels of interference.

Limitations of Shielded Twisted Pair (STP) Cable:

- 1. Cost and Complexity: STP cable is generally more expensive than UTP cable due to the additional shielding. It can also be more complex to install and terminate, requiring proper grounding and careful handling of the shielding to maintain its effectiveness.
- 2. Bulkiness and Rigidity: The additional shielding in STP cable makes it bulkier and less flexible compared to UTP cable. This can make installation and cable management more challenging, especially in situations where flexibility or tight bends are required.
- 3. Potential Grounding Issues: To maintain the effectiveness of the shielding, STP cable requires proper grounding to prevent the accumulation of electrical charges. Improper grounding can lead to interference or other performance issues.
- 4. Compatibility: STP cable may have compatibility issues with certain networking equipment. Some network devices or connectors may be specifically designed for use with UTP cable, which can limit the options for using STP cable in certain installations.

4. Fiber Optic Cable:

Fiber optic cable uses thin strands of glass or plastic to transmit data as pulses of light. It offers extremely high bandwidth and is immune to electromagnetic interference. Fiber optic cable is commonly used for long-distance and high-speed data transmission, such as in telecommunications networks and high-performance data centers.

Advantages of Fiber Optic Cable:

- 1. High Bandwidth: Fiber optic cable provides extremely high bandwidth capabilities, allowing for the transmission of large amounts of data at high speeds. It offers significantly higher data rates compared to traditional copper-based cables, making it ideal for applications that require high-speed and high-capacity data transmission.
- 2. Long Transmission Distances: Fiber optic cable can transmit data over long distances without significant signal degradation. It has low attenuation, which means the signal can travel longer distances without the need for signal boosters or repeaters. This makes fiber optic cable suitable for long-haul telecommunications networks and high-speed data connections between distant locations.
- 3. Immunity to Electromagnetic Interference: Unlike copper-based cables, fiber optic cables are immune to electromagnetic interference (EMI) and radio frequency interference (RFI). They do not pick up electrical noise or signal degradation from nearby sources, making them highly reliable and stable for data transmission.
- 4. Security: Fiber optic cables offer a higher level of security compared to other types of cables. They are more difficult to tap or intercept, as they do not emit electromagnetic signals that can be easily intercepted. This makes fiber optic cable a preferred choice for transmitting sensitive data, such as in government or financial networks.
- 5. Light Weight and Size: Fiber optic cables are thinner, lighter, and more flexible compared to copper cables. This makes them easier to handle, install, and route in various environments, including tight spaces or areas with limited cable management options.

Limitations of Fiber Optic Cable:

1. Cost: Fiber optic cable is generally more expensive than copper-based cables, both in

- terms of the cable itself and the associated networking equipment. The initial investment in fiber optic infrastructure can be higher, especially for large-scale network deployments.
- 2. Installation and Maintenance: Fiber optic cable requires specialized skills and tools for installation and termination. The connectors and splicing techniques used in fiber optic installations require precision and expertise. Additionally, maintenance and repair of fiber optic networks may require specialized personnel.
- 3. Fragility: Although fiber optic cables are more durable than copper cables, they can still be fragile compared to other networking media. They can be susceptible to damage from excessive bending, crushing, or stretching. Care must be taken during installation and handling to avoid compromising the fiber's integrity.
- 4. Limited Flexibility for Existing Infrastructure: Retrofitting existing network infrastructure with fiber optic cables can be challenging, particularly in buildings or areas with established copper-based infrastructure. It may require significant modifications or the installation of new conduits to accommodate fiber optic cables.

5. Wireless Media:

Wireless media refers to the use of radio waves or infrared signals to transmit data without the need for physical cables. Wireless networks utilize devices such as Wi-Fi routers, wireless access points, and wireless adapters in devices like laptops and smartphones. Wireless networks provide flexibility and mobility but may have limitations in terms of range and potential interference.

Advantages of Wireless Media:

1. Mobility: Wireless media allows for mobile and flexible network connectivity. Users can access networks and devices from anywhere within the coverage area without being

- tethered to a specific location. This enables freedom of movement and facilitates portable device usage.
- 2. Easy Deployment: Wireless networks can be deployed quickly and easily, especially in situations where laying physical cables is impractical or costly. This makes wireless media an ideal solution for temporary setups, remote locations, or areas where infrastructure is limited.
- 3. Scalability: Wireless networks can be easily expanded or modified to accommodate changes in network size or layout. Additional devices or users can be added without the need for extensive rewiring or infrastructure changes, providing scalability and flexibility.
- 4. Convenience: Wireless media eliminates the need for physical cable connections, simplifying the setup and reducing cable clutter. It allows for easy connectivity of devices such as laptops, smartphones, and IoT devices without the hassle of wired connections.
- 5. Cost Savings: Wireless media can offer cost savings in terms of reduced cabling and infrastructure costs. It eliminates the need for extensive cable installations, conduits, and associated equipment, resulting in potential cost savings, particularly for large-scale deployments.

Limitations of Wireless Media:

- Interference: Wireless networks are susceptible to interference from other wireless
 devices operating in the same frequency range or from physical obstructions such as
 walls or objects. Interference can impact signal quality, throughput, and range, leading
 to degraded performance.
- 2. Limited Range: Wireless networks have limited coverage areas or ranges, depending on the technology used. The signal strength decreases as the distance from the access

- point or wireless router increases, potentially leading to weaker connections or signal dropouts in larger areas.
- 3. Security Risks: Wireless networks can be more vulnerable to unauthorized access or security breaches compared to wired networks. Wireless signals can be intercepted or accessed by unauthorized users if proper security measures such as encryption and authentication are not in place.
- 4. Speed and Bandwidth: Although wireless technologies have improved significantly, they still generally offer lower data transfer speeds and bandwidth compared to wired connections. The available bandwidth is shared among connected devices, which can result in reduced performance during peak usage times or in densely populated areas.
- Reliability: Wireless media can be affected by environmental factors such as weather conditions, electromagnetic interference, or signal blockages. These factors can impact signal strength and reliability, leading to intermittent connectivity or network disruptions.

Related Posts:

- 1. What is computer network
- 2. Data Link Layer
- 3. Framing
- 4. Byte count framing method
- 5. Flag bytes with byte stuffing framing method
- 6. Flag bits with bit stuffing framing method
- 7. Physical layer coding violations framing method
- 8. Error Control in Data link layer
- 9. Stop and Wait
- 10. Sliding Window Protocol
- 11. One bit sliding window protocol

- 12. A Protocol Using Go-Back-N
- 13. Selective repeat protocol
- 14. Net 10
- 15. Net 9
- 16. Net 47
- 17. Net 43
- 18. OSI vs TCP/IP
- 19. TCP/IP Reference Model
- 20. OSI Reference Model
- 21. Computer Networks Introduction
- 22. Types of Computer Networks
- 23. Network Architectures
- 24. Computer Network Topologies
- 25. LAN and WAN Protocols
- 26. Network Address
- 27. IP Addresses
- 28. Class Full Addressing
- 29. Networking Devices
- 30. Structured cabling
- 31. Types of connectivities in Computer Networks
- 32. Introduction to Network Operating System(NOS)
- 33. ARP/RARP
- 34. Cooperative Caching