SEQUENCE CONTROL AND EXPRESSION

Viva Voce on Sequence control & expression

Q1. Describe static function with its usage?

Ans) A function, which has a function definition prefixed with a static keyword is defined as a static function. The static function should call within the same source code.

Q2. Describe Wild Pointers in C?

Ans) Uninitialized pointers in the C code are known as Wild Pointers. These are a point to some arbitrary memory location and can cause bad program behaviour or program crash.

Q3. What is the difference between ++a and a++?

Ans) '++a" is called prefixed increment and the increment will happen first on a variable. 'a++' is called postfix increment and the increment happens after the value of a variable used for the operations.

Q4. Describe the difference between = and == symbols in C programming?

Ans) '==' is the comparison operator which is use to compare the value or expression on the left-hand side with the value or expression on the right-hand side.

'=' is the assignment operator which is use to assign the value of the right-hand side to the variable on the left-hand side.

Q5. What is the explanation for prototype function in C?

Prototype function is a declaration of a function with the following information to the compiler.

- Name of the function.
- The return type of the function.
- Parameters list of the function.

Q6. Describe the header file and its usage in C programming?

Ans) The file contains the definitions and prototypes of the functions being used in the program are called a header file. It is also known as a library file.

Q7. What is a nested loop?

Ans) A loop running within another loop is referred as a nested loop.

Q8. What is a pointer on a pointer in C programming language?

Ans) A pointer variable that contains the address of another pointer variable.

Q9. What are the valid places to have keyword "Break"?

Ans) Only in Looping or switch statements.

MCQs on Sequence control on expressions

Q1. The break statement is used to exit from

- a. DO loop
- b. FOR loop
- c. all of above

Q2. In which statements, does a CONTINUE statement cause the control to go directly to the test condition and then continue the looping process?

- a. FOR and WHILE
- b. WHILE and IF-ELSE
- c. While and DO-WHILE

Q3. The advantage of a SWITCH statement over an ELSE-IF statement

- a. A default condition can be used in the SWITCH
- b. The SWITCH is easier to understand1
- c. Several different statements can be executed in a SWITCH

Q4. The traditional way to create an infinite loop in C is

a. FOR (;;)

- b. IF (=) BREAK;
- c. WHILE ()...
- Q5. The most common use of the one-dimentional array in C is the
- a. String
- b. Character
- c. Data
- Q6. C provides loop constructs for performing loop operations. They are
- a. The WHILE statement
- b. The DO statement
- c. The FOR statement

MCQs Answers

- Q1. (c)
- Q2. (c)
- Q3. (b)
- Q4. (a)
- Q5. (c)
- Q6. (b)

References:

- 1. Sebesta,"Concept of programming Language", Pearson Edu
- 2. Louden, "Programming Languages: Principles & Practices", Cengage Learning
- 3. Tucker, "Programming Languages: Principles and paradigms ", Tata McGraw -Hill.
- 4. E Horowitz, "Programming Languages", 2nd Edition, Addison Wesley

Related Posts:

- 1. PPL:Named Constants
- 2. Parse Tree | PPL | Prof. Jayesh Umre
- 3. Basic elements of Prolog
- 4. Loops | PPL | Prof. Jayesh Umre
- 5. Subprograms Parameter passing methods | PPL | Prof. Jayesh Umre
- 6. Programming Paradigms | PPL | Prof. Jayesh Umre
- 7. Subprograms Introduction | PPL | Prof. Jayesh Umre
- 8. Phases of Compiler | PPL | Prof. Jayesh Umre
- 9. Parse Tree | PPL
- 10. Influences on Language design | PPL | Prof. Jayesh Umre
- 11. Fundamentals of Subprograms | PPL | Prof. Jayesh Umre
- 12. Programming Paradigm
- 13. Influences on Language Design
- 14. Language Evaluation Criteria
- 15. OOP in C++ | PPL
- 16. OOP in C# | PPL
- 17. OOP in Java | PPL
- 18. PPL: Abstraction & Encapsulation
- 19. PPL: Semaphores
- 20. PPL: Introduction to 4GL
- 21. PPL: Variable Initialization
- 22. PPL: Conditional Statements
- 23. PPL: Array
- 24. PPL: Strong Typing
- 25. PPL: Coroutines
- 26. PPL: Exception Handler in C++

- 27. PPL: OOP in PHP
- 28. PPL: Character Data Type
- 29. PPL: Exceptions
- 30. PPL: Heap based storage management
- 31. PPL: Primitive Data Type
- 32. PPL: Data types
- 33. Programming Environments | PPL
- 34. Virtual Machine | PPL
- 35. PPL: Local referencing environments
- 36. Generic Subprograms
- 37. Local referencing environments | PPL | Prof. Jayesh Umre
- 38. Generic Subprograms | PPL | Prof. Jayesh Umre
- 39. PPL: Java Threads
- 40. PPL: Loops
- 41. PPL: Exception Handling
- 42. PPL: C# Threads
- 43. Pointer & Reference Type | PPL
- 44. Scope and lifetime of variable
- 45. Design issues for functions
- 46. Parameter passing methods
- 47. Fundamentals of sub-programs
- 48. Subprograms
- 49. Design issues of subprogram
- 50. Garbage Collection
- 51. Issues in Language Translation
- 52. PPL Previous years solved papers
- 53. Type Checking | PPL | Prof. Jayesh Umre

- 54. PPL RGPV May 2018 solved paper discussion | Prof. Jayesh Umre
- 55. PPL Viva Voce
- 56. PPL RGPV June 2017 Solved paper | Prof. Jayesh Umre
- 57. Concurrency
- 58. Basic elements of Prolog
- 59. Introduction and overview of Logic programming
- 60. Application of Logic programming
- 61. PPL: Influences on Language Design
- 62. Language Evaluation Criteria PPL
- 63. PPL: Sequence Control & Expression
- 64. PPL: Programming Environments
- 65. PPL: Virtual Machine
- 66. PPL: Programming Paradigm
- 67. PPL: Pointer & Reference Type
- 68. try-catch block in C++