

Table of Contents



Program in C

Program in Java

Write a program that takes a character as input and determines whether it is a vowel or consonant.

Program In C

```
#include <stdio.h>
#include <ctype.h>

int main() {
    char ch;

    printf("Enter a character: ");
    scanf("%c", &ch);

    // Converting to lowercase to handle both uppercase and lowercase
    // characters
    ch = tolower(ch);


    if (ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u')
    {
        printf("%c is a vowel.\n", ch);
    } else {
```

```
        printf("%c is a consonant.\n", ch);  
    }  
  
    return 0;  
}
```

Explanation:

- In this program, we first declare a character variable ch.
- We prompt the user to enter a character using printf, and then we use scanf to read the character into the ch variable.
- To handle both uppercase and lowercase characters, we convert the character to lowercase using the tolower function.
- We then use an if statement to check if the character is equal to any of the vowel characters 'a', 'e', 'i', 'o', or 'u'. If it is, we print that it is a vowel.
- Otherwise, we print that it is a consonant.
- Finally, we return 0 to indicate successful execution of the program.

Output:

Output 

```
Enter a character: e  
e is a vowel.
```

Program In Java

Java

```
import java.util.Scanner;

public class VowelConsonantChecker {
    public static void main(String[] args) {
        char ch;

        Scanner scanner = new Scanner(System.in);
        System.out.print("Enter a character: ");
        ch = scanner.next().charAt(0);

        // Converting to lowercase to handle both uppercase and
        lowercase characters
        ch = Character.toLowerCase(ch);

        if (ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch ==
'u') {
            System.out.println(ch + " is a vowel.");
        } else {
            System.out.println(ch + " is a consonant.");
        }

        scanner.close();
    }
}
```

```
}
```

Explanation:

Java Output

```
Enter a character: a  
a is a vowel.
```

Related posts:

1. Programming examples
2. Program to prints even numbers from 1 to 20
3. Program to calculate sum of all numbers from 1 to 100.
4. Program to get factorial of a number
5. Program to get Fibonacci sequence
6. Program to checks if number is prime
7. Program to get multiplication table
8. Program to find largest element in an array
9. Program to prints reverse of a string
10. Program to calculates sum of all elements in a list
11. Program determines integer is positive, negative, or zero
12. Program to find largest among three numbers using conditional statements.
13. Program determines it is a leap year or not
14. Program to determines even or odd
15. Program to calculate student exam grade

Program determines character is a vowel or consonant

16. Program to determines product is positive or negative
17. Program to determine divisible by both 5 and 7
18. Program to determines equilateral, isosceles, or scalene triangle
19. Programme to check if number is inside range
20. Function to calculate the factorial
21. Write a function to detect palindromes in strings
22. Write a function to find the greatest common divisor of two numbers
23. Program to calculate the area of different geometric shapes
24. try-catch block in C++