

Table of Contents

[Program in C](#)[Program in Java](#)

Write a program that prints the sum of all numbers from 1 to 100.

Program In C

```
#include <stdio.h>

int main() {
    int sum = 0;
    int i;

    for (i = 1; i <= 100; i++) {
        sum += i;
    }

    printf("The sum of all numbers from 1 to 100 is: %d\n", sum);

    return 0;
}
```

Explanation:

- In this program, we declare an integer variable sum and initialize it to 0.
- The for loop runs from 1 to 100, and in each iteration, it adds the value of i to the sum variable using the += operator.

Program to calculate sum of all numbers from 1 to 100.

- After the loop, we use printf to display the final value of sum.

Output:

Output

```
The sum of all numbers from 1 to 100 is: 5050
```

Program In Java

Java

```
public class SumHundred {  
    public static void main(String[] args) {  
        int sum = 0;  
        int i;  
  
        for (i = 1; i <= 100; i++) {  
            sum += i;  
        }  
  
        System.out.println("The sum of all numbers from 1 to 100 is: "  
+ sum);  
    }  
}
```

Program to calculate sum of all numbers from 1 to 100.

Explanation:

1. The public class SumHundred defines a class named SumHundred, which is the entry point for the Java program.
2. The public static void main(String[] args) method is the main method, which serves as the starting point for the execution of the program.
3. `int sum = 0;` declares and initializes an integer variable sum to 0, which will store the sum of numbers.
4. `int i;` declares an integer variable i which will be used as a loop counter in the for loop.
5. `for (i = 1; i <= 100; i++)` is a for loop that starts with i being 1, executes the loop body as long as i is less than or equal to 100, and increments i by 1 in each iteration.
6. Inside the loop body, `sum += i;` adds the value of i to the sum variable, effectively summing up all the numbers from 1 to 100.
7. `System.out.println("The sum of all numbers from 1 to 100 is: " + sum);` prints the result to the console, concatenating the sum value with the given string.

Output

```
The sum of all numbers from 1 to 100 is: 5050
```

Related posts:

1. Programming examples
2. Program to prints even numbers from 1 to 20
3. Program to get factorial of a number
4. Program to get Fibonacci sequence
5. Program to checks if number is prime

Program to calculate sum of all numbers from 1 to 100.

6. Program to get multiplication table
7. Program to find largest element in an array
8. Program to prints reverse of a string
9. Program to calculates sum of all elements in a list
10. Program determines integer is positive, negative, or zero
11. Program to find largest among three numbers using conditional statements.
12. Program determines it is a leap year or not
13. Program to determines even or odd
14. Program to calculate student exam grade
15. Program determines character is a vowel or consonant
16. Program to determines product is positive or negative
17. Program to determine divisible by both 5 and 7
18. Program to determines equilateral, isosceles, or scalene triangle
19. Programme to check if number is inside range
20. Function to calculate the factorial
21. Write a function to detect palindromes in strings
22. Write a function to find the greatest common divisor of two numbers
23. Program to calculate the area of different geometric shapes
24. try-catch block in C++