

Q1. Using the mesh analysis find the  $I_{\scriptscriptstyle 0}$  in the circuit give below.



Q2. In the figure below, find the current flowing through  $R_1$  using Thevenin's Theorem.



Q3. What do you understand by source? Discuss the different types of dependent and independent voltages and current sources with suitable sketch.

Q4. A coil having a resistance of 10 ohms and an inductance of 0.2H is connected in series with a $100 \times 10^{-6}$ F capacitor across a 230V, 50HZ supply,
Calculate:
i) The active and reactive components of the current
ii) The voltage accross the coil, Draw the phasor diagram.
Q5. A balanced start connected load of 8+6j ohm is connected across three phase, 50Hz, 440V supply system. Calculate
i) Line current
ii) Power absorbed
iii) Reactive volt ampere

## results

 $V_0 = 200V$ ,  $I_0 = 0.7A$ ,  $W_0 = 20$  Watt test from primary side,  $V_s = 10V$ ,  $I_s = 10A$ ,  $W_s = 40$  Watt test from secondary side.

Determine the equivalent cuircuit parameters referred to primary side.

Q7. Explain the construction and working principle of three phase induction motor with suitable diagram.

Q8. A three phase, 6 pole, 50 Hz induction motor has a slip of 1% at no load and 3% at full load, Find

- i) Synchronous Speed
- ii) No Load Speed
- iii) Full Load Speed
- iv) Frequency of rotor curret at full load.

Q9. Draw and explain the V-I characterstics of a PN junction.
Q10. Draw the circuit and explain the characterstics of CB configuration.
Q11. Write a short note on:
i) RS Flip Flop
ii) Star Delta Transformation
iii) De Morgan's Theorem
iv) Torque-Slip Characterstics