

Different ways to use 'select' statement in SQL, DBMS MySQL.

```
mysql> select *from student where roll_no<45 span="">
```

```
+----+----+----+
| f_name | s_name | roll_no |
+----+----+----+
| prasan | s | 40 |
| noman | r | 36 |
| ayushi | m | 9 |
| minal | m | 35 |
| khushi | j | 20 |
| nikita | m | 34 |
| kiran | m | 23 |
+----+----+----+
7 rows in set (0.00 sec)
```

```
mysql> select *from student where roll_no<=45;
```

```
+----+----+----+
| f_name | s_name | roll_no |
+----+----+----+
| ritesh | v | 45 |
| prasan | s | 40 |
| noman | r | 36 |
| ayushi | m | 9 |
| minal | m | 35 |
| khushi | j | 20 |
| nikita | m | 34 |
```

```
| kiran | m | 23 |  
+----+----+----+  
8 rows in set (0.00 sec)
```

```
mysql> select f_name from student;
```

```
+-----+  
| f_name |  
+-----+  
| ritesh |  
| vishwadeep |  
| prasan |  
| noman |  
| ayushi |  
| tejal |  
| minal |  
| khushi |  
| nikita |  
| kiran |  
+-----+  
10 rows in set (0.00 sec)
```

```
mysql> select s_name from student;
```

```
+----+  
| s_name |  
+----+  
| v |  
| d |
```

```
| s |  
| r |  
| m |  
| c |  
| m |  
| j |  
| m |  
| m |  
+----+  
10 rows in set (0.00 sec)
```

```
mysql> select roll_no from student;
```

```
+----+  
| roll_no |  
+----+  
| 45 |  
| 61 |  
| 40 |  
| 36 |  
| 9 |  
| 54 |  
| 35 |  
| 20 |  
| 34 |  
| 23 |  
+----+  
10 rows in set (0.00 sec)
```

```
mysql> select * from student;
```

```
+-----+----+-----+  
| f_name | s_name | roll_no |  
+-----+----+-----+  
| ritesh | v | 45 |  
| vishwadeep | d | 61 |  
| prasan | s | 40 |  
| noman | r | 36 |  
| ayushi | m | 9 |  
| tejal | c | 54 |  
| minal | m | 35 |  
| khushi | j | 20 |  
| nikita | m | 34 |  
| kiran | m | 23 |
```

```
+-----+----+-----+  
10 rows in set (0.00 sec)
```

```
mysql> select * from student where roll_no like 45;
```

```
+----+----+-----+  
| f_name | s_name | roll_no |  
+----+----+-----+  
| ritesh | v | 45 |
```

```
+----+----+-----+  
1 row in set (0.00 sec)
```

```
mysql> select * from student where f_name like 'n';
```

```
Empty set (0.00 sec)
```

```
mysql> select * from student where f_name like 'no';  
Empty set (0.00 sec)
```

```
mysql> select * from student where s_name like 'v';  
+----+----+----+  
| f_name | s_name | roll_no |  
+----+----+----+  
| ritesh | v | 45 |  
+----+----+----+  
1 row in set (0.00 sec)
```

```
mysql> select * from student where f_name like 'v';  
Empty set (0.00 sec)
```

```
mysql> select * from student where f_name like 'v%';  
+-----+----+----+  
| f_name | s_name | roll_no |  
+-----+----+----+  
| vishwadeep | d | 61 |  
+-----+----+----+  
1 row in set (0.00 sec)
```

```
mysql> select * from student where f_name like 'n%';  
+----+----+----+  
| f_name | s_name | roll_no |  
+----+----+----+  
| noman | r | 36 |
```

```
| nikita | m | 34 |  
+----+----+----+  
2 rows in set (0.00 sec)
```

```
mysql> select * from student where f_name like 'no%';  
+----+----+----+  
| f_name | s_name | roll_no |  
+----+----+----+  
| noman | r | 36 |  
+----+----+----+  
1 row in set (0.00 sec)
```

```
mysql> select * from student where f_name like '%n';  
+----+----+----+  
| f_name | s_name | roll_no |  
+----+----+----+  
| prasan | s | 40 |  
| noman | r | 36 |  
| kiran | m | 23 |  
+----+----+----+  
3 rows in set (0.00 sec)
```

```
mysql> select * from student where f_name like '%n%';  
+----+----+----+  
| f_name | s_name | roll_no |  
+----+----+----+  
| prasan | s | 40 |
```

```
| noman | r | 36 |  
| minal | m | 35 |  
| nikita | m | 34 |  
| kiran | m | 23 |  
+----+----+----+  
5 rows in set (0.00 sec)
```

```
mysql> select count() from student;
```

```
+----+ | count() |  
+----+  
| 10 |  
+----+  
1 row in set (0.01 sec)
```

```
mysql> select count(f_name) from student;
```

```
+-----+  
| count(f_name) |  
+-----+  
| 10 |  
+-----+  
1 row in set (0.00 sec)
```

```
mysql> select max(roll_no) from student;
```

```
+-----+  
| max(roll_no) |  
+-----+
```

```
| 61 |  
+-----+  
1 row in set (0.00 sec)
```

```
mysql> select min(roll_no) from student;  
+-----+  
| min(roll_no) |  
+-----+  
| 9 |  
+-----+  
1 row in set (0.00 sec)
```

```
mysql> select sum(roll_no) from student;  
+-----+  
| sum(roll_no) |  
+-----+  
| 357 |  
+-----+  
1 row in set (0.00 sec)
```

```
mysql> select f_name from student where f_name like "kiran";  
+----+  
| f_name |  
+----+  
| kiran |  
+----+  
1 row in set (0.00 sec)
```

```
mysql> select * from student where f_name like "kiran";
```

```
+----+----+----+
| f_name | s_name | roll_no |
+----+----+----+
| kiran | m | 23 |
+----+----+----+
1 row in set (0.00 sec)
```

```
mysql> select * from student where roll_no like '36';
```

```
+----+----+----+
| f_name | s_name | roll_no |
+----+----+----+
| noman | r | 36 |
+----+----+----+
1 row in set (0.00 sec)
```

```
mysql> select distinct f_name,roll_no from student;
```

```
+-----+----+
| f_name | roll_no |
+-----+----+
| ritesh | 45 |
| vishwadeep | 61 |
| prasan | 40 |
| noman | 36 |
| ayushi | 9 |
| tejal | 54 |
| minal | 35 |
```

```
| khushi | 20 |  
| nikita | 34 |  
| kiran | 23 |  
+-----+-----+  
10 rows in set (0.00 sec)
```

```
mysql> select distinct s_name,roll_no from student;
```

```
+-----+-----+  
| s_name | roll_no |  
+-----+-----+  
| v | 45 |  
| d | 61 |  
| s | 40 |  
| r | 36 |  
| m | 9 |  
| c | 54 |  
| m | 35 |  
| j | 20 |  
| m | 34 |  
| m | 23 |  
+-----+-----+  
10 rows in set (0.00 sec)
```

Related posts:

1. How to get MySQL
2. INSTALLATION OF MYSQL ON WINDOWS
3. PHP Variables

4. PHP Data types
5. PHP Constant
6. PHP Switch Statement
7. PHP Loops
8. Use of echo statement
9. PHP echo2
10. Factorial using for loop
11. PHP if statement
12. PHP if2
13. PHP if else2
14. PHP if else2
15. PHP use of function
16. PHP use of array
17. SQL in MySQL
18. LIKE IN SQL mySQL
19. PHP Project
20. Write brief introduction of PHP with its origin
21. Why PHP is better than its alternatives? Explain
22. Explain interfaces to external system in PHP ?
23. What are the hardware and software requirement of PHP
24. Why is PHP known as scripting language?
25. What does a PHP Script look like? Explain
26. Describe the basics of web designing
27. What is WYSIWYG?
28. How PHP helps in designing the webpage? Give relevant example
29. How can we receive user input in PHP? Give examples
30. Explain the procedure to repeat code in PHP.

31. Explain the working of PHP script.
32. What is the basic syntax of PHP? Explain with example
33. Explain various data types in PHP ?
34. What is Google caffeine? How it works? What are its benefits
35. Explain various types of operators available in PHP.
36. How can we display data type information in PHP? Give example
37. How can we change data type? Explain
38. Explain variable manipulation in PHP
39. What are dynamic variables in PHP? Explain
40. PHP Previous Years Solved
41. PHP Short Notes for DAVV MBA