Sliding windows protocol works as follows:

1. Sender sends a fixed number of frames without acknowledgments.
2. Each frame is labelled with a sequence number.
3. On getting acknowledgments from the receiver.
4. Sender sends more frames.
5. Each acknowledgement is labelled with a respective frames sequence number.

Precautions:

There should not be duplicate sequence numbers.

Example of Sliding window protocol;

Window size is 7.

Sender can transmit 7 frames without acknowledgement.

Frame no. 1,2,3,4,5,6,7.

1	2	3	4	6	7	8	9	10	11

Now sender transmit 4 frames and received an acknowledgment that thefirst 3 frames are successfully received.

1	2	3	4	6	7	8	9	10	11

The window will slide forward by three frames.

1	2	3	4	5	6	7	8	9	10

Now sender will cover next 7 frames.

Frame no. 4,5,6,7,8,9,10.

Which looks like windows is sliding from left to right.

Related posts:

1. What is computer network
2. Data Link Layer
3. Framing
4. Byte count framing method
5. Flag bytes with byte stuffing framing method
6. Flag bits with bit stuffing framing method
7. Physical layer coding violations framing method
8. Error Control in Data link layer
9. Stop and Wait
10. One bit sliding window protocol
11. A Protocol Using Go-Back-N
12. Selective repeat protocol
13. Net 10
14. Net 9
15. Net 47

16. Net 43
17. OSI vs TCP/IP
18. TCP/IP Reference Model
19. OSI Reference Model
20. Computer Networks Introduction
21. Types of Computer Networks
22. Network Architectures
23. Computer Network Topologies
24. LAN and WAN Protocols
25. Network Address
26. IP Addresses
27. Class Full Addressing
28. Networking Media
29. Networking Devices
30. Structured cabling
31. Types of connectivities in Computer Networks
32. Introduction to Network Operating System(NOS)
33. ARP/RARP
34. Cooperative Caching