

1. Which of the following is not a type of balanced tree?

- a) Binary search tree
- b) Height-balanced tree
- c) AVL tree
- d) Red-black tree

Answer: a) Binary search tree

Explanation: Binary search trees are not inherently balanced. While they maintain the binary search property, they can become unbalanced, leading to inefficient operations.

2. In a height-balanced tree, what is the maximum height difference allowed between the left and right subtrees of any node?

- a) 1
- b) 2
- c) 3
- d) 4

Answer: a) 1

Explanation: A height-balanced tree ensures that the height difference between the left and right subtrees of any node is at most 1.

3. Which of the following is a property of 2-3 trees?

- a) Each node can have up to 2 children
- b) Each node can have up to 3 children
- c) Each node can have up to 2 keys
- d) Each node can have up to 3 keys

Answer: c) Each node can have up to 2 keys

Explanation: In 2-3 trees, each node can have either one key and two children or two keys and three children, making it a balanced tree.

4. B-trees are commonly used in which of the following scenarios?

- a) Database indexing
- b) Sorting arrays
- c) Priority queue implementation
- d) Symbol table construction

Answer: a) Database indexing

Explanation: B-trees are often used in database systems for indexing due to their balanced structure and efficient disk access properties.

5. Which traversal technique visits nodes in the following order: root, left subtree, right subtree?

- a) In-order
- b) Pre-order
- c) Post-order
- d) Depth-first search

Answer: b) Pre-order

Explanation: Pre-order traversal visits the root node first, then recursively visits the left subtree and right subtree.

6. Which traversal technique visits nodes in the following order: left subtree, root, right subtree?

- a) In-order
- b) Pre-order
- c) Post-order
- d) Breadth-first search

Answer: a) In-order

Explanation: In-order traversal visits the left subtree first, then the root node, and finally the right subtree.

7. Which traversal technique visits nodes in the following order: left subtree, right subtree, root?

- a) In-order
- b) Pre-order
- c) Post-order
- d) Depth-first search

Answer: c) Post-order

Explanation: Post-order traversal visits the left subtree first, then the right subtree, and finally the root node.

8. Which traversal technique is typically implemented using a stack data structure?

- a) Breadth-first search
- b) Depth-first search
- c) In-order traversal
- d) Post-order traversal

Answer: b) Depth-first search

Explanation: Depth-first search is typically implemented using a stack to keep track of nodes

to visit.

9. Which search technique explores nodes level by level, starting from the root?

- a) Depth-first search
- b) Breadth-first search
- c) Dijkstra's algorithm
- d) A* search algorithm

Answer: b) Breadth-first search

Explanation: Breadth-first search explores nodes level by level, starting from the root, before moving to the next level.

10. Which complexity class represents problems that are generally believed to be intractable?

- a) P
- b) NP
- c) NP-complete
- d) NP-hard

Answer: c) NP-complete

Explanation: NP-complete problems are those in the complexity class NP that are at least as hard as the hardest problems in NP. They are believed to be intractable, although not yet proven to be so.

Related posts:

1. Introduction to Information Security
2. Introduction to Information Security MCQ
3. Introduction to Information Security MCQ
4. Symmetric Key Cryptography MCQ
5. Asymmetric Key Cryptography MCQ
6. Authentication & Integrity MCQ
7. E-mail, IP and Web Security MCQ