Here are different types of connectivity options commonly used in networking:

### 1. Dial-up:

Dial-up connectivity uses a modem and a telephone line to establish a connection to the internet or a remote network. It is a relatively slow and outdated method that is primarily used in remote areas where broadband options are limited.

# 2. Digital Subscriber Line (DSL):

DSL uses existing copper telephone lines to provide high-speed internet access. It allows simultaneous voice and data transmission over the same line, providing faster speeds compared to dial-up.

## 3. Asymmetric Digital Subscriber Line (ADSL):

ADSL is a variation of DSL that provides faster download speeds than upload speeds. It is commonly used in residential settings where users typically require higher download speeds for activities like browsing and streaming.

#### 4. Leased Line:

A leased line is a dedicated connection between two locations, providing a private and secure connection. It offers symmetric speeds and is commonly used for businesses that require consistent and reliable connectivity.

#### 5. Cable Internet:

Cable internet utilizes the same coaxial cable infrastructure used for cable television to provide high-speed internet access. It offers faster speeds compared to DSL and is popular in residential and small business settings.

#### 6. Wi-Fi:

Wi-Fi (Wireless Fidelity) provides wireless connectivity by utilizing radio waves to transmit data between devices and a wireless router. It is widely used in homes, offices, and public places to enable wireless network access.

### 7. WiMAX:

WiMAX (Worldwide Interoperability for Microwave Access) is a wireless broadband technology that offers long-range connectivity. It provides high-speed wireless internet access over a wider coverage area than Wi-Fi, making it suitable for rural and remote areas.

## 8. CDMA (Code Division Multiple Access):

CDMA is a digital cellular technology used in mobile networks. It allows multiple users to share the same frequency by using unique codes to separate their signals, enabling more efficient use of the available spectrum.

## 9. GSM (Global System for Mobile Communications):

GSM is a standard for cellular networks used by mobile devices for voice and data communication. It is widely used globally and provides features like call quality, text

messaging, and data services.

#### Related posts:

- 1. What is computer network
- 2. Data Link Layer
- 3. Framing
- 4. Byte count framing method
- 5. Flag bytes with byte stuffing framing method
- 6. Flag bits with bit stuffing framing method
- 7. Physical layer coding violations framing method
- 8. Error Control in Data link layer
- 9. Stop and Wait
- 10. Sliding Window Protocol
- 11. One bit sliding window protocol
- 12. A Protocol Using Go-Back-N
- 13. Selective repeat protocol
- 14. Net 10
- 15. Net 9
- 16. Net 47
- 17. Net 43
- 18. OSI vs TCP/IP
- 19. TCP/IP Reference Model
- 20. OSI Reference Model
- 21. Computer Networks Introduction
- 22. Types of Computer Networks
- 23. Network Architectures

- 24. Computer Network Topologies
- 25. LAN and WAN Protocols
- 26. Network Address
- 27. IP Addresses
- 28. Class Full Addressing
- 29. Networking Media
- 30. Networking Devices
- 31. Structured cabling
- 32. Introduction to Network Operating System(NOS)
- 33. ARP/RARP
- 34. Cooperative Caching