

Write a function to find the greatest common divisor of two numbers

Table of Contents



Program in C

Program in Java

Write a function that takes two integers as input and calculates their greatest common divisor.

Program In C



```
#include <stdio.h>

int calculateGCD(int a, int b) {
    while (b != 0) {
        int temp = b;
        b = a % b;
        a = temp;
    }

    return a;
}

int main() {
    int num1 = 24;
    int num2 = 36;

    int gcd = calculateGCD(num1, num2);

    printf("The GCD of %d and %d is %d\n", num1, num2, gcd);

    return 0;
}
```

Write a function to find the greatest common divisor of two numbers

```
}
```

Explanation:

1. The function calculateGCD takes two integers a and b as input and returns their greatest common divisor.
2. Inside the while loop, we continuously calculate the remainder by performing the modulo operation $a \% b$. We update a with the value of b and b with the value of the remainder.
3. The loop continues until b becomes zero, indicating that we have found the GCD. At this point, the value of a will be the GCD.
4. Finally, in the main function, we define two integers num1 and num2 with values 24 and 36, respectively.
5. We call the calculateGCD function with num1 and num2 as arguments and store the result in the gcd variable.
6. We then print the GCD using the printf function.

C Output

```
The GCD of 24 and 36 is 12
```

Write a function to find the greatest common divisor of two numbers

Program In Java

java 

```
public class GCDCalculator {  
    public static int calculateGCD(int a, int b) {  
        while (b != 0) {  
            int temp = b;  
            b = a % b;  
            a = temp;  
        }  
  
        return a;  
    }  
  
    public static void main(String[] args) {  
        int num1 = 24;  
        int num2 = 36;  
  
        int gcd = calculateGCD(num1, num2);  
  
        System.out.printf("The GCD of %d and %d is %d\n", num1, num2,  
gcd);  
    }  
}
```

Explanation:

1. The GCDCalculator class contains two methods: calculateGCD and main.
2. The calculateGCD method takes two integers a and b as input and returns their greatest common divisor (GCD).
3. Inside the method, there is a while loop that continues as long as b is not zero. This

Write a function to find the greatest common divisor of two numbers

loop uses the Euclidean algorithm to calculate the GCD.

4. In each iteration of the loop, the remainder of a divided by b is calculated using the modulo operator %. The value of a is updated to the value of b, and b is updated to the remainder.
5. Once the loop exits, the value of a will be the GCD of the original two numbers.
6. The main method is the entry point of the program. It initializes two integers num1 and num2 with values 24 and 36, respectively.
7. The calculateGCD method is called with num1 and num2 as arguments, and the result is stored in the gcd variable.
8. The System.out.printf statement prints the GCD using a formatted string.

Java Output

```
The GCD of 24 and 36 is 12
```

Related posts:

1. Programming examples
2. Program to prints even numbers from 1 to 20
3. Program to calculate sum of all numbers from 1 to 100.
4. Program to get factorial of a number
5. Program to get Fibonacci sequence
6. Program to checks if number is prime
7. Program to get multiplication table
8. Program to find largest element in an array
9. Program to prints reverse of a string
10. Program to calculates sum of all elements in a list

Write a function to find the greatest common divisor of two numbers

11. Program determines integer is positive, negative, or zero
12. Program to find largest among three numbers using conditional statements.
13. Program determines it is a leap year or not
14. Program to determines even or odd
15. Program to calculate student exam grade
16. Program determines character is a vowel or consonant
17. Program to determines product is positive or negative
18. Program to determine divisible by both 5 and 7
19. Program to determines equilateral, isosceles, or scalene triangle
20. Programme to check if number is inside range
21. Function to calculate the factorial
22. Write a function to detect palindromes in strings
23. Program to calculate the area of different geometric shapes
24. try-catch block in C++