```
Table of Contents

Program in C

Program in Java
```

Write a program that swaps the values of two variables using temporary variable.

Program In C

```
#include <stdio.h>
int main() {
   int a, b, temp;

   printf("Enter the value of a: ");
   scanf("%d", &a);

   printf("Enter the value of b: ");
   scanf("%d", &b);

   printf("\nBefore swapping:\n");
   printf("\nBefore swapping:\n");
   printf("b = %d\n", a);
   printf("b = %d\n", b);

   temp = a;
   a = b;
```

```
b = temp;

printf("\nAfter swapping:\n");

printf("a = %d\n", a);

printf("b = %d\n", b);

return 0;
}
```

Explanation:

- When you run this program, it will prompt the user to enter the values of a and b.
- After the user inputs the values, the program will swap their values using a temporary variable temp.
- It will then print the values of a and b before and after swapping.
- In this program, we declare three variables a, b, and temp of type int.
- We use printf() to display the prompt messages and scanf() to read the user input.
- The values of a and b are swapped by assigning the value of a to temp, then assigning the value of b to a, and finally assigning the value of temp to b.
- We use printf() to display the values of a and b before and after swapping.

Output:

```
Enter the value of a: 4
Enter the value of b: 2

Before swapping:
a = 4
b = 2
```

```
After swapping:

a = 2

b = 4
```

Program In Java

```
import java.util.Scanner;

public class SwapNumbers {
    public static void main(String[] args) {
        int a, b, temp;
        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter the value of a: ");
        a = scanner.nextInt();

        System.out.print("Enter the value of b: ");
        b = scanner.nextInt();

        System.out.println("\nBefore swapping:");
        System.out.println("a = " + a);
        System.out.println("b = " + b);

        temp = a;
```

```
a = b;
b = temp;

System.out.println("\nAfter swapping:");
System.out.println("a = " + a);
System.out.println("b = " + b);
}
}
```

Explanation:

- 1. import java.util.Scanner;: This line imports the Scanner class from the java.util package. It is used for reading user input.
- 2. public class SwapNumbers: This line declares a public class named SwapNumbers.
- 3. public static void main(String[] args): This is the main method that serves as the entry point of the program.
- 4. int a, b, temp;: Declares three integer variables a, b, and temp to store the input values and perform the swap operation.
- 5. Scanner scanner = new Scanner(System.in);: Creates a new Scanner object named scanner to read user input from the console.
- 6. a = scanner.nextInt(); and b = scanner.nextInt();: These lines prompt the user to enter values for a and b using System.out.print and read the integer input using scanner.nextInt().
- 7. System.out.println("\nBefore swapping:");: Prints a message indicating the values before swapping.
- 8. System.out.println("a = " + a); and System.out.println("b = " + b);: Prints the values of a and b before swapping.
- 9. temp = a;, a = b;, and b = temp;: These lines perform the swap operation by storing the value of a in temp, assigning the value of b to a, and then assigning the value of

- temp (initial value of a) to b.
- System.out.println("\nAfter swapping:");: Prints a message indicating the values after swapping.
- 11. System.out.println("a = " + a); and System.out.println("b = " + b);: Prints the values of a and b after swapping.

```
Enter the value of a: 4
Enter the value of b: 2

Before swapping:
a = 4
b = 2

After swapping:
a = 2
b = 4
```

Related Posts:

- 1. Write a program that swaps the values of two variables without using a temporary variable
- 2. Converts a number into integer, float, and string
- 3. Program to convert string to uppercase or lowercase
- 4. Program to prints the numbers from 1 to 10.
- 5. C prgoram to convert inch to feet
- 6. C program to convert KM to CM
- 7. C program to convert meter to centimeter
- 8. C program to calculate remainder, difference, division, product

- 9. C program to use printf() without semicolon "; "
- 10. C program to swap two numbers using 2 variables
- 11. C program to find nth term using Arithmetic progrssion
- 12. C program to find sum of first n even positive numbers
- 13. C program to calculate sum of first n even numbers
- 14. C program to find nth odd number
- 15. C program to find sum of first n odd positive numbers
- 16. C program to calculate perimeter and area of a rectangle
- 17. C program to calculate perimeter and area of a square
- 18. C program to calculate Perimeter and Area of Circle
- 19. Function in C Programming
- 20. C Programming Q & A
- 21. Main function in C Programming Q and A
- 22. Void main in C Programming
- 23. Variables Q and A in C Programming
- 24. Write a C Program to find the percentage of marks?
- 25. Write a c program to find age of a person?
- 26. Write a c program to get table of a number
- 27. What is Break statement in C Programming?
- 28. Write a c program to generate all combinations of 1, 2 and 3 using for loop.
- 29. Write a C program to print all the prime numbers between 1 to 50.
- 30. Write a C program to get factorial of a number?
- 31. What is user defined function in C programming?
- 32. Difference between C and C++ Programming?
- 33. Difference between C, C++ and Java Programming
- 34. C program addition of numbers using pointer
- 35. C Syntax

- 36. Comments in C
- 37. Variables in C
- 38. Data types in C
- 39. Format specifiers in C
- 40. Type Conversion in C
- 41. Constants in C
- 42. Operators in C
- 43. Pre and Post Increament Practice Problems
- 44. Pre and Post Increament
- 45. Array in C
- 46. C Introduction
- 47. C Get Started
- 48. C Pointers
- 49. C History
- 50. C Program Compiling and running
- 51. C While loop
- 52. C Do While Loop
- 53. C For loop
- 54. break and continue statement
- 55. Control Statements in C
- 56. C if-else ladder
- 57. C if statements
- 58. C 2-Dimensional array
- 59. C String library functions
- 60. C Functions
- 61. C Functions Categories
- 62. C Actual Arguments

- 63. Write a program that prints the message "Hello, World!"
- 64. Write a program that asks the user to enter two numbers, and then prints the sum of those two numbers.
- 65. Write a program that asks the user to enter a number and then determines whether the number is even or odd.
- 66. Write a program that asks the user to enter a number and then calculates and prints its factorial.
- 67. Write a program that asks the user to enter a number N and then prints the first N numbers in the Fibonacci sequence
- 68. Program to find the length of the string
- 69. What is identifier expected error
- 70. Difference between static and non static methods in Java
- 71. C String Input
- 72. C Character input
- 73. C Programming Variables MCQ
- 74. Object & Classes
- 75. C Programming find the output MCQs